

eti Conformity Services (eti)

2222 W Valley Hwy N, Suite 160, Auburn, WA 98001

Phone: 253-736-6010, Fax: 253-736-6015, Cell: 425-766-7689

Don Preiss, Supervising Engineer E-mail: don.preiss@eticonformity.com

eti IS ACCREDITED FOR LISTING IN UL 508 AND UL 508C ONLY

| STANDARD | DESCRIPTION |
|----------|---|
| UL 508 | Standard for Industrial Control Equipment |
| UL 508C | Standard for Power Conversion Equipment |

eti IS ACCREDITED FOR FIELD EVALUATION IN OTHER PROCUCT CATEGORIES:

| STANDARD | DESCRIPTION |
|----------------|--|
| ANSI C12.1 | Code for Electricity Meters |
| ANSI C37.17 | Trip Devices for AC and General Purpose DC Low-Voltage Power Circuit Breakers |
| ANSI C37.42 | Distribution Cutouts and Fuse Links |
| ANSI C37.44 | Distribution Oil Cutouts and Fuse Links |
| ANSI C37.45 | Distribution Enclosed Single-Pole Air Switches |
| ANSI C37.46 | Power Fuses and Fuse Disconnecting Switches |
| ANSI C37.47 | Distribution Fuse Disconnecting Switches, Fuse Supports, and Current-Limiting Fuses |
| ANSI C37.50 | Low-Voltage AC Power Circuit Breakers Used in Enclosures -- Test Procedures |
| ANSI C37.51 | Metal-Enclosed Low-Voltage AC Power Circuit-Breaker Switchgear Assemblies -- Conformance Test Procedures |
| ANSI C37.52 | Low-Voltage AC Power Circuit Protectors Used in Enclosures -- Test Procedures |
| ANSI C37.53.1 | High-Voltage Current Motor-Starter Fuses -- Conformance Test Procedures |
| ANSI C37.54 | Indoor Alternating-Current High Voltage Circuit Breakers Applied as Removable Elements in Metal-Enclosed Switchgear Assemblies-Conformance Test Procedures |
| ANSI C37.55 | Metal-Clad Switchgear Assemblies -- Conformance Test Procedures |
| ANSI C37.57 | Metal-Enclosed Interrupter Switchgear Assemblies -- Conformance Testing |
| ANSI C37.58 | Indoor AC Medium-Voltage Switches for Use in Metal-Enclosed Switchgear -- Conformance Test Procedures |
| ANSI C37.72 | Manually-Operated Dead-Front, Pad-Mounted Switchgear with Load-Interrupting Switches and Separable Connectors for Alternating-Current System |
| ANSI C37.121 | Unit Substations -- Requirements |
| ANSI C57.12.20 | Overhead-Type Distribution Transformers, 500 kVA and Smaller |
| ANSI C57.12.22 | Pad-Mounted Compartmental-Type, Self-Cooled, Three-Phase Distribution Transformers with High Voltage Bushings; 2500 kVA and Smaller |
| ANSI C57.12.23 | Underground-Type Self-Cooled, Single-Phase Distribution Transformers with Separable Insulated High-Voltage Connectors; 167 kVA and Smaller |

| | |
|----------------|---|
| ANSI C57.12.24 | Underground-Type Three-Phase Distribution Transformers, 2500 kVA and Smaller |
| ANSI C57.12.25 | Pad-Mounted Compartmental-Type Self-Cooled Single-Phase Distribution Transformers with Separable Insulated High-Voltage Connectors; 167 kVA and Smaller |
| ANSI C57.12.26 | Pad-Mounted Compartmental-Type, Self-Cooled, Three-Phase Distribution Transformers for use with Separable Insulated High-Voltage Connectors; 2500 kVA and Smaller |
| ANSI C57.12.28 | Switchgear and Transformers -- Pad-Mounted Equipment -- Enclosure Integrity |
| ANSI C57.12.40 | Three Phase Secondary Network Transformers, Subway and Vault Types (Liquid Immersed); 2500 kVA and Smaller |
| ANSI C57.12.50 | Ventilated Dry-Type Distribution Transformers, 1 to 500 kVA, Single-Phase; and 15 to 500 kVA, Three Phase |
| ANSI C57.12.51 | Ventilated Dry-Type Power Transformers 501 kVA and Larger, Three-Phase |
| ANSI C57.12.52 | Sealed Dry-Type Power Transformers, 501 kVA and Larger, Three-Phase |
| ANSI C57.12.55 | Dry-Type Transformers in Unit Installations, Including Unit Substations -- Conformance Requirements |
| ASME A17.5 | Elevators and Escalator Electrical Equipment |
| IEEE C37.013 | AC High-Voltage Generator Circuit Breakers Rated on a Symmetrical Current Basis |
| IEEE C37.122 | Gas-Insulated Substations |
| IEEE C37.13 | Low Voltage AC Power Circuit Breakers Used in Enclosures |
| IEEE C37.14 | Low Voltage DC Power Circuit Breakers Used in Enclosures |
| IEEE C37.18 | Enclosed Field Discharge Circuit Breakers for Rotating Electric Machinery |
| IEEE C37.20.1 | Metal-Enclosed Low-Voltage Power Circuit Breaker Switchgear |
| IEEE C37.20.2 | Metal-Clad and Station-Type Cubicle Switchgear |
| IEEE C37.20.3 | Metal-Enclosed Interrupter Switchgear |
| IEEE C37.21 | Control Switchboards |
| IEEE C37.29 | Low-Voltage AC Power Circuit Protectors Used in Enclosures |
| IEEE C37.38 | Gas-Insulated, Metal-Enclosed Disconnecting, Interrupter and Grounding Switches |
| IEEE C37.60 | Overhead, Pad-Mounted, Dry-Vault, and Submersible Automatic Circuit Reclosers and Fault Interrupters for AC Systems |
| IEEE C37.66 | Oil-Filled Capacitor Switches for Alternating-Current Systems -- Requirements |
| IEEE C37.90 | Relays and Relay Systems Associated with Electric Power Apparatus |
| IEEE C57.12.00 | Distribution, Power and Regulating Transformers -- General Requirements |
| IEEE C57.13 | Instrument Transformers -- Requirements |
| IEEE C57.15 | Step-Voltage and Induction-Voltage Regulators |
| IEEE C57.21 | Shunt Reactors Over 500 kVA |
| IEEE C62.11 | Metal Oxide Surge Arresters for AC Power Circuits |
| NFPA 72 | Installation, Maintenance, and Use of Protective Signaling Systems |
| NFPA 79 | Electrical Standard for Industrial Machinery |
| NFPA 110 | Standard for Emergency and Standby Power Systems |
| NFPA 496 | Standard for Purged and Pressurized Enclosures for Electrical Equipment |

| | |
|--------|--|
| UL 1 | Standard for Flexible Metal Conduit |
| UL 3 | Flexible Nonmetallic Tubing for Electric Wiring |
| UL 4 | Standard for Armored Cable |
| UL 5 | Standard for Surface Metal Raceways and Fittings |
| UL 5A | Nonmetallic Surface Raceways and Fittings |
| UL 5B | Standard for Strut-Type Channel Raceways and Fittings |
| UL 5C | Standard for Surface Raceways and Fittings for Use with Data, Signal, and Control Circuits |
| UL 6 | Electrical Rigid Metal Conduit - Steel |
| UL 6A | Electrical Rigid Metal Conduit - Aluminum, Red Brass, and Stainless Steel |
| UL 13 | Standard for Power-Limited Circuit Cables |
| UL 20 | General-Use Snap Switches |
| UL 22 | Standard for Amusement and Gaming Machines |
| UL 38 | Standard for Manual Signaling Boxes for Fire Alarm Systems |
| UL 44 | Thermoset-Insulated Wires and Cables |
| UL 45 | Portable Electric Tools |
| UL 48 | Standard for Electric Signs |
| UL 50 | Enclosures for Electrical Equipment, Non-Environmental Considerations |
| UL 50E | Enclosures for Electrical Equipment, Environmental Considerations |
| UL 51 | Standard for Power-Operated Pumps for Anhydrous Ammonia and LP-Gas |
| UL 62 | Standard for Flexible Cords and Cables |
| UL 65 | Standard for Wired Cabinets |
| UL 66 | Standard for Fixture Wire |
| UL 67 | Standard for Panelboards |
| UL 69 | Standard for Electric-Fence Controllers |
| UL 73 | Standard for Motor-Operated Appliances |
| UL 79 | Standard for Power-Operated Pumps for Petroleum Dispensing Products |
| UL 83 | Thermoplastic-Insulated Wires and Cables |
| UL 87 | Standard for Power-Operated Dispensing Devices for Petroleum Products |
| UL 94 | Standard for Tests for Flammability of Plastic Materials for Parts in Devices and Appliances |
| UL 96 | Standard for Lightning Protection Components |
| UL 96A | Standard for Installation Requirements for Lightning Protection Systems |
| UL 98 | Enclosed and Dead-Front Switches |
| UL 104 | Standard for Elevator Door Locking Devices and Contacts |
| UL 122 | Standard for Photographic Equipment |
| UL 150 | Standard for Antenna Rotators |
| UL 153 | Standard for Portable Electric Luminaires |
| UL 183 | Standard for Manufactured Wiring Systems |
| UL 187 | Standard for X-Ray Equipment |
| UL 197 | Standard for Commercial Electric Cooking Appliances |
| UL 217 | Standard for Single and Multiple Station Smoke Alarms |
| UL 218 | Standard for Fire Pump Controllers |

| | |
|-----------|--|
| UL 218A | Standard for Battery Contactors for Use in Diesel Engines Driving Centrifugal Fire Pumps |
| UL 224 | Extruded Insulating Tubing |
| UL 231 | Standard for Power Outlets |
| UL 244A | Standard for Solid-State Controls for Appliances |
| UL 248-1 | Low-Voltage Fuses - Part 1: General Requirements |
| UL 248-2 | Low-Voltage Fuses - Part 2: Class C Fuses |
| UL 248-3 | Low-Voltage Fuses - Part 3: Class CA and CB Fuses |
| UL 248-4 | Low-Voltage Fuses - Part 4: Class CC Fuses |
| UL 248-5 | Low-Voltage Fuses - Part 5: Class G Fuses |
| UL 248-6 | Low-Voltage Fuses - Part 6: Class H Non-Renewable Fuses |
| UL 248-7 | Low-Voltage Fuses - Part 7: Class H Renewable Fuses |
| UL 248-8 | Low-Voltage Fuses - Part 8: Class J Fuses |
| UL 248-9 | Low-Voltage Fuses - Part 9: Class K Fuses |
| UL 248-10 | Low-Voltage Fuses - Part 10: Class L Fuses |
| UL 248-11 | Low-Voltage Fuses - Part 11: Plug Fuses |
| UL 248-12 | LOW-Voltage Fuses - Part 12: Class R Fuses |
| UL 248-13 | Low-Voltage Fuses - Part 13: Semiconductor Fuses |
| UL 248-14 | Low-Voltage Fuses - Part 14: Supplemental Fuses |
| UL 248-15 | Low-Voltage Fuses - Part 15: Class T Fuses |
| UL 248-16 | Low-Voltage Fuses - Part 16: Test Limiters |
| UL 291 | Standard for Automated Teller Systems |
| UL 294 | Standard for Access Control System Units |
| UL 298 | Portable Electric Hand Lamps |
| UL 310 | Standard for Electrical Quick-Connect Terminals |
| UL 325 | Standard for Door, Drapery, Gate, Louver, and Window Operators and Systems |
| UL 347 | Standard for High Voltage Industrial Control Equipment |
| UL 353 | Standard for Limit Controls |
| UL 355 | Standard for Cord Reels |
| UL 360 | Standard for Liquid-Tight Flexible Steel Conduit |
| UL 363 | Knife Switches |
| UL 412 | Standard for Refrigeration Unit Coolers |
| UL 414 | Standard for Meter Sockets |
| UL 416 | Standard for Refrigerated Medical Equipment |
| UL 427 | Standard for Refrigerating Units |
| UL 429 | Standard for Electrically Operated Valves |
| UL 430 | Standard for Waste Disposers |
| UL 444 | Communications Cables |
| UL 452 | Standard for Antenna - Discharge Units |
| UL 458 | Standard for Power Converters/Inverters and Power Converter/Inverter Systems for Land Vehicles and Marine Crafts |
| UL 464 | Standard for Audible Signal Appliances |
| UL 466 | Standard for Electric Scales |

| | |
|---------|--|
| UL 467 | Grounding and Bonding Equipment |
| UL 471 | Standard for Commercial Refrigerators and Freezers |
| UL 484 | Standard for Room Air Conditioners |
| UL 486A | Wire Connectors and Soldering Lugs for Use With Copper Conductors |
| UL 486B | Wire Connectors for Use With Aluminum Conductors |
| UL 486C | Splicing Wire Connectors |
| UL 486D | Sealed Wire Connector Systems |
| UL 486E | Standard for Equipment Wiring Terminals for Use with Aluminum and/or Copper Conductors |
| UL 489 | Molded-Case Circuit Breakers, Molded-Case Switches, and Circuit-Breaker Enclosures |
| UL 489A | Standard for Circuit Breakers for Use in Communications Equipment |
| UL 493 | Standard for Thermoplastic-Insulated Underground Feeder and Branch-Circuit Cables |
| UL 495 | Standard for Power-Operated Dispensing Devices for LP-Gas |
| UL 496 | Lampholders |
| UL 497 | Standard for Protectors for Paired-Conductor Communications Circuits |
| UL 497A | Standard for Secondary Protectors for Communications Circuits |
| UL 497B | Standard for Protectors for Data Communications and Fire-Alarm Circuits |
| UL 497C | Standard for Protectors for Coaxial Communications Circuits |
| UL 498 | Standard for Attachment Plugs and Receptacles |
| UL 498A | Current Taps and Adapters |
| UL 499 | Standard for Electric Heating Appliances |
| UL 506 | Standard for Specialty Transformers |
| UL 507 | Standard for Electric Fans |
| UL 508 | Standard for Industrial Control Equipment |
| UL 508A | Standard for Industrial Control Panels |
| UL 508C | Standard for Power Conversion Equipment |
| UL 509 | Bus Drop Cable |
| UL 510 | Standard for Polyvinyl Chloride, Polyethylene and Rubber Insulating Tape |
| UL 511 | Porcelain Electrical Cleats, Knobs, and Tubes |
| UL 512 | Standard for Fuseholders |
| UL 514A | Metallic Outlet Boxes |
| UL 514B | Conduit, Tubing, and Cable Fittings |
| UL 514C | Standard for Nonmetallic Outlet Boxes, Flush-Device Boxes, and Covers |
| UL 514D | Cover Plates for Flush-Mounted Wiring Devices |
| UL 515 | Standard for Electrical Resistance Heat Tracing for Commercial and Industrial Applications |
| UL 521 | Standard for Heat Detectors for Fire Protective Signaling Systems |
| UL 525 | Standard for Flame Arresters |
| UL 536 | Standard for Flexible Metallic Hose |
| UL 539 | Standard for Single and Multiple Station Heat Alarms |
| UL 542 | Fluorescent Lamp Starters |
| UL 544 | Standard for Medical and Dental Equipment |

| | |
|---------|--|
| UL 551 | Standard for Transformer-Type Arc-Welding Machines |
| UL 563 | Standard for Ice Makers |
| UL 568 | Nonmetallic Cable Tray Systems |
| UL 574 | Standard for Electric Oil Heaters |
| UL 583 | Standard for Electric-Battery-Powered Industrial Trucks |
| UL 603 | Standard for Power Supplies for Use with Burglar-Alarm Systems |
| UL 609 | Standard for Local Burglar Alarm Units and Systems |
| UL 621 | Standard for Ice Cream Makers |
| UL 632 | Standard for Electrically-Actuated Transmitters |
| UL 634 | Standard for Connectors and Switches for Use with Burglar-Alarm Systems |
| UL 635 | Standard for Insulating Bushings |
| UL 636 | Standard for Holdup Alarm Units and Systems |
| UL 639 | Standard for Intrusion-Detection Units |
| UL 651 | Standard for Schedule 40 and 80 Rigid PVC Conduit and Fittings |
| UL 651A | Type EB and A Rigid PVC Conduit and HDPE Conduit |
| UL 651B | Standard for Continuous Length HDPE Conduit |
| UL 664 | Standard for Commercial Dry-Cleaning Machines (Type IV) |
| UL 674 | Standard for Electric Motors and Generators for Use in Division 1 Hazardous (Classified) Locations |
| UL 676 | Standard for Underwater Luminaires and Submersible Junction Boxes |
| UL 698 | Standard for Industrial Control Equipment For Use In Hazardous (Classified) Locations |
| UL 698A | Standard for Industrial Control Panels Relating to Hazardous (Classified) Locations |
| UL 705 | Standard for Power Ventilators |
| UL 710 | Standard for Exhaust Hoods for Commercial Cooking Equipment |
| UL 710B | Standard for Recirculating Systems |
| UL 719 | Standard for Nonmetallic-Sheathed Cables |
| UL 746E | Standard for Polymeric Materials - Industrial Laminates, Filament Wound Tubing, Vulcanized Fibre, and Materials Used In Printed-Wiring Boards |
| UL 746F | Standard for Polymeric Materials - Flexible Dielectric Film Materials for Use in Printed-Wiring Boards and Flexible Materials Interconnect Constructions |
| UL 751 | Standard for Vending Machines |
| UL 756 | Standard for Coin and Currency Changers and Actuators |
| UL 758 | Standard for Appliance Wiring Material |
| UL 763 | Standard for Motor-Operated Commercial Food Preparing Machines |
| UL 773 | Standard for Plug-In, Locking Type Photocontrols for Use with Area Lighting |
| UL 773A | Standard for Nonindustrial Photoelectric Switches for Lighting Control |
| UL 775 | Standard for Safety for Graphic Arts Equipment |
| UL 778 | Standard for Motor-Operated Water Pumps |
| UL 779 | Standard for Electrically Conductive Floorings |
| UL 781 | Standard for Portable Electric Lighting Units for Use in Hazardous (Classified) Locations |
| UL 783 | Standard for Electric Flashlights and Lanterns for Use in Hazardous (Classified) Locations |

| | |
|---------|--|
| UL 796 | Standard for Printed-Wiring Boards |
| UL 797 | Electrical Metallic Tubing - Steel |
| UL 797A | Standard for Electrical Metallic Tubing - Aluminum |
| UL 810 | Standard for Capacitors |
| UL 810A | Standard for Electrochemical Capacitors |
| UL 813 | Standard for Commercial Audio Equipment |
| UL 814 | Gas-Tube-Sign Cable |
| UL 817 | Standard for Cord Sets and Power-Supply Cords |
| UL 823 | Standard for Electric Heaters For Use in Hazardous (Classified) Locations |
| UL 834 | Standard for Heating, Water Supply, and Power Boilers - Electric |
| UL 840 | Standard for Insulation Coordination Including Clearances and Creepage Distances for Electrical Equipment |
| UL 844 | Standard for Luminaires for Use in Hazardous (Classified) Locations |
| UL 845 | Motor Control Centers |
| UL 854 | Standard for Service-Entrance Cables |
| UL 857 | Busways |
| UL 863 | Standard for Time-Indicating and -Recording Appliances |
| UL 864 | Standard for Control Units and Accessories for Fire Alarm Systems |
| UL 867 | Standard for Electrostatic Air Cleaners |
| UL 869A | Reference Standard for Service Equipment |
| UL 870 | Standard for Wireways, Auxiliary Gutters, and Associated Fittings |
| UL 873 | Standard for Temperature-Indicating and -Regulating Equipment |
| UL 877 | Standard for Circuit Breakers and Circuit-Breaker Enclosures for Use in Hazardous (Classified) Locations |
| UL 879 | Standard for Electric Sign Components |
| UL 884 | Standard for Underfloor Raceways and Fittings |
| UL 886 | Standard for Outlet Boxes and Fittings for Use In Hazardous (Classified) Locations |
| UL 887 | Standard for Delayed-Action Timelocks |
| UL 891 | Switchboards |
| UL 894 | Standard for Switches For Use In Hazardous (Classified) Locations |
| UL 913 | Standard for Intrinsically Safe Apparatus and Associated Apparatus for Use in Class I, II, III, Division 1, Hazardous (Classified) Locations |
| UL 916 | Standard for Energy Management Equipment |
| UL 917 | Standard for Clock-Operated Switches |
| UL 921 | Commercial Dishwashers |
| UL 923 | Standard for Microwave Cooking Appliances |
| UL 924 | Standard for Emergency Lighting and Power Equipment |
| UL 935 | Standard for Fluorescent-Lamp Ballasts |
| UL 943 | Ground-Fault Circuit-Interrupters |
| UL 943A | Practical Application Guidelines For Leakage Current Protection Devices |
| UL 943B | Standard for Safety for Appliance Leakage-Current Interrupters |
| UL 962A | Standard for Furniture Power Distribution Units |
| UL 963 | Standard for Sealing, Wrapping, and Marking Equipment |

| | |
|-----------|---|
| UL 969 | Standard for Marking and Labeling Systems |
| UL 977 | Standard for Fused Power-Circuit Devices |
| UL 979 | Standard for Water Treatment Appliances |
| UL 983 | Standard for Surveillance Camera Units |
| UL 984 | Hermetic Refrigerant Motor-Compressors |
| UL 987 | Standard for Stationary and Fixed Electric Tools |
| UL 991 | Standard for Tests for Safety-Related Controls Employing Solid-State Devices |
| UL 1002 | Standard for Electrically Operated Valves For Use In Hazardous (Classified) Locations |
| UL 1004 | Standard for Electric Motors |
| UL 1004-1 | Standard for Rotating Electrical Machines - General Requirements |
| UL 1004-2 | Standard for Impedance Protected Motors |
| UL 1004-3 | Standard for Thermally Protected Motors |
| UL 1004-4 | Standard for Electric Generators |
| UL 1004-5 | Standard for Fire Pump Motors |
| UL 1005 | Standard for Electric Flatirons |
| UL 1008 | Standard for Transfer Switch Equipment |
| UL 1010 | Standard for Receptacle-Plug Combinations For Use In Hazardous (Classified) Locations |
| UL 1012 | Standard for Power Units Other Than Class 2 |
| UL 1018 | Standard for Electric Aquarium Equipment |
| UL 1022 | Standard for Line Isolation Monitors |
| UL 1029 | Standard for High-Intensity-Discharge Lamp Ballasts |
| UL 1030 | Standard for Sheathed Heating Elements |
| UL 1042 | Standard for Electric Baseboard Heating Equipment |
| UL 1047 | Standard for Isolated Power Systems Equipment |
| UL 1053 | Standard for Ground-Fault Sensing and Relaying Equipment |
| UL 1054 | Standard for Special-Use Switches |
| UL 1059 | Standard for Terminal Blocks |
| UL 1062 | Standard for Unit Substations |
| UL 1063 | Standard for Machine-Tool Wires and Cables |
| UL 1066 | Standard for Low-Voltage AC and DC Power Circuit Breakers Used in Enclosures |
| UL 1069 | Standard for Hospital Signaling and Nurse Call Equipment |
| UL 1072 | Standard for Medium-Voltage Power Cables |
| UL 1077 | Standard for Supplementary Protectors for Use in Electrical Equipment |
| UL 1088 | Standard for Temporary Lighting Strings |
| UL 1097 | Double Insulation Systems for Use in Electrical Equipment |
| UL 1104 | Standard for Marine Navigation Lights |
| UL 1112 | Standard for Marine Electric Motors and Generators (Cranking, Outdrive Tilt, Trim Tab, Generators, Alternators) |
| UL 1113 | Standard for Electrically Operated Pumps for Nonflammable Liquids, Marine |
| UL 1196 | Standard for Floating Waterlights |
| UL 1203 | Standard for Explosion-Proof and Dust-Ignition-Proof Electrical Equipment for Use in Hazardous (Classified) Locations |

| | |
|---------|--|
| UL 1206 | Standard for Electric Commercial Clothes-Washing Equipment |
| UL 1207 | Sewage Pumps for Use in Hazardous (Classified) Locations |
| UL 1236 | Standard for Battery Chargers for Charging Engine-Starter Batteries |
| UL 1238 | Standard for Control Equipment for Use with Flammable Liquid Dispensing Devices |
| UL 1240 | Standard for Electric Commercial Clothes-Drying Equipment |
| UL 1242 | Standard for Electrical Intermediate Metal Conduit - Steel |
| UL 1244 | Standard for Electrical and Electronic Measuring and Testing Equipment |
| UL 1263 | Irrigation Cables |
| UL 1276 | Welding Cables |
| UL 1277 | Standard for Electrical Power and Control Tray Cables with Optional Optical-Fiber Members |
| UL 1278 | Standard for Movable and Wall- or Ceiling-Hung Electric Room Heaters |
| UL 1283 | Standard for Electromagnetic Interference Filters |
| UL 1286 | Standard for Office Furnishings |
| UL 1309 | Marine Shipboard Cable |
| UL 1310 | Standard for Class 2 Power Units |
| UL 1323 | Standard for Scaffold Hoists |
| UL 1331 | Standard for Station Inlets and Outlets |
| UL 1340 | Standard for Hoists |
| UL 1363 | Standard for Relocatable Power Taps |
| UL 1411 | Standard for Transformers and Motor Transformers for Use in Audio-, Radio-, and Television-Type Appliances |
| UL 1412 | Standard for Fusing Resistors and Temperature-Limited Resistors for Radio- and Television- Type Appliances |
| UL 1413 | Standard for High-Voltage Components for Television-Type Appliances |
| UL 1414 | Standard for Capacitors and Suppressors for Radio- and Television-Type Appliances |
| UL 1416 | Standard for Overcurrent and Overtemperature Protectors for Radio- and Television- Type Appliances |
| UL 1417 | Standard for Special Fuses for Radio- and Television- Type Appliances |
| UL 1419 | Standard for Professional Video and Audio Equipment |
| UL 1424 | Standard for Cables for Power-Limited Fire-Alarm Circuits |
| UL 1425 | Standard for Cables for Non-Power-Limited Fire-Alarm Circuits |
| UL 1426 | Electrical Cables for Boats |
| UL 1429 | Standard for Pullout Switches |
| UL 1433 | Standard for Control Centers for Changing Message Type Electric Signs |
| UL 1434 | Standard for Thermistor-Type Devices |
| UL 1436 | Standard for Outlet Circuit Testers and Similar Indicating Devices |
| UL 1437 | Standard for Electrical Analog Instruments - Panel Board Types |
| UL 1441 | Coated electrical sleeving |
| UL 1446 | Standard for Systems of Insulating Materials - General |
| UL 1449 | Standard for Surge Protective Devices |
| UL 1450 | Standard for Motor-Operated Air Compressors, Vacuum Pumps, and Painting Equipment |

| | |
|----------|---|
| UL 1453 | Standard for Electric Booster and Commercial Storage Tank Water Heaters |
| UL 1472 | Solid-State Dimming Controls |
| UL 1480 | Standard for Speakers for Fire Alarm, Emergency, and Commercial and Professional Use |
| UL 1481 | Standard for Power Supplies for Fire-Protective Signaling Systems |
| UL 1492 | Audio-Video Products and Accessories |
| UL 1493 | Underground Low-Energy Circuit Cable |
| UL 1557 | Standard for Safety for Electrically Isolated Semiconductor Devices |
| UL 1558 | Standard for Safety for Metal-Enclosed Low-Voltage Power Circuit Breaker Switchgear |
| UL 1559 | Standard for Insect-Control Equipment - Electrocutation Type |
| UL 1561 | Standard for Dry-Type General Purpose and Power Transformers |
| UL 1562 | Standard for Transformers, Distribution, Dry-Type - Over 600 Volts |
| UL 1564 | Standard for Industrial Battery Chargers |
| UL 1565 | Positioning Devices |
| UL 1567 | Standard for Receptacles and Switches Intended for Use with Aluminum Wire |
| UL 1569 | Standard for Metal-Clad Cables |
| UL 1573 | Standard for Stage and Studio Luminaires and Connector Strips |
| UL 1574 | Standard for Track Lighting Systems |
| UL 1577 | Standard for Safety for Optical Isolators |
| UL 1581 | Reference Standard for Electrical Wires, Cables, and Flexible Cords |
| UL 1585 | Class 2 and Class 3 Transformers |
| UL 1594 | Standard for Sewing and Cutting Machines |
| UL 1598 | Luminaires |
| UL 1598A | Standard for Supplemental Requirements for Luminaires for Installation on Marine Vessels |
| UL 1598B | Standard for Supplemental Requirements for Luminaire Reflector Kits for Installation on Previously Installed Fluorescent Luminaires |
| UL 1604 | Standard for Electrical Equipment For Use In Class I and II, Division 2, And Class III Hazardous (Classified) Locations |
| UL 1610 | Standard for Central-Station Burglar-Alarm Units |
| UL 1635 | Standard for Digital Alarm Communicator System Units |
| UL 1638 | Standard for Visual Signaling Appliances - Private Mode Emergency and General Utility Signaling |
| UL 1640 | Portable Power-Distribution Equipment |
| UL 1642 | Standard for Lithium Batteries |
| UL 1647 | Standard for Motor-Operated Massage and Exercise Machines |
| UL 1650 | Portable Power Cable |
| UL 1651 | Standard for Optical Fiber Cable |
| UL 1653 | Electrical Nonmetallic Tubing |
| UL 1655 | Standard for Community-Antenna Television Cables |
| UL 1659 | Standard for Attachment Plug Blades for Use in Cord Sets and Power-Supply Cords |
| UL 1660 | Liquid-Tight Flexible Nonmetallic Conduit |
| UL 1664 | Standard for Immersion-Detection Circuit-Interrupters |

| | |
|----------|--|
| UL 1666 | Standard for Test for Flame Propagation Height of Electrical and Optical-Fiber Cables Installed Vertically in Shafts |
| UL 1667 | Standard for Tall Institutional Carts for Use With Audio-, Video-, and Television-Type Equipment |
| UL 1673 | Standard for Electric Space Heating Cables |
| UL 1676 | Standard for Conductive-Path and Discharge-Path Resistors for Use in Radio-, Video-, or Television-Type Appliances |
| UL 1680 | Stage and Lighting Cables |
| UL 1681 | Standard for Wiring Device Configurations |
| UL 1682 | Plugs, Receptacles, and Cable Connectors of the Pin and Sleeve Type |
| UL 1684 | Reinforced Thermosetting Resin Conduit (RTRC) and Fittings |
| UL 1684A | Standard for Supplemental Requirements for Extra Heavy Wall Reinforced Thermosetting Resin Conduit (RTRC) and Fittings |
| UL 1685 | Standard for Vertical-Tray Fire-Propagation and Smoke-Release Test for Electrical and Optical-Fiber Cables |
| UL 1690 | Standard for Data-Processing Cable |
| UL 1693 | Standard for Electric Radiant Heating Panels and Heating Panel Sets |
| UL 1696 | Nonmetallic Mechanical Protection Tubing (NMPT) |
| UL 1699 | Standard for Arc-Fault Circuit-Interrupters |
| UL 1703 | Standard for Flat-Plate Photovoltaic Modules and Panels |
| UL 1711 | Standard for Amplifiers for Fire Protective Signaling Systems |
| UL 1712 | Tests for Ampacity of Insulated Electrical Conductors Installed in the Fire Protective System |
| UL 1740 | Standard for Robots and Robotic Equipment |
| UL 1741 | Standard for Inverters, Converters, Controllers and Interconnection System Equipment for Use With Distributed Energy Resources |
| UL 1773 | Standard for Termination Boxes |
| UL 1778 | Uninterruptible Power Systems |
| UL 1805 | Standard for Laboratory Hoods and Cabinets |
| UL 1812 | Standard for Ducted Heat Recovery Ventilators |
| UL 1838 | Standard for Low Voltage Landscape Lighting Systems |
| UL 1863 | Standard for Communications-Circuit Accessories |
| UL 1876 | Standard for Isolating Signal and Feedback Transformers for Use in Electronic Equipment |
| UL 1917 | Standard for Solid-State Fan Speed Controls |
| UL 1951 | Standard for Electric Plumbing Accessories |
| UL 1975 | Standard for Fire Tests for Foamed Plastics Used for Decorative Purposes |
| UL 1977 | Standard for Component Connectors for Use in Data, Signal, Control and Power Applications |
| UL 1978 | Standard for Grease Ducts |
| UL 1981 | Standard for Central-Station Automation Systems |
| UL 1989 | Standard for Standby Batteries |
| UL 1990 | Standard for Nonmetallic Underground Conduit with Conductors |
| UL 1993 | Standard for Self-Ballasted Lamps and Lamp Adapters |
| UL 1994 | Standard for Luminous Egress Path Marking Systems |

| | |
|-----------|--|
| UL 1995 | Heating and Cooling Equipment |
| UL 1996 | Standard for Electric Duct Heaters |
| UL 2017 | Standard for General-Purpose Signaling Devices and Systems |
| UL 2021 | Standard for Fixed and Location-Dedicated Electric Room Heaters |
| UL 2024 | Standard for Optical Fiber and Communication Cable Raceway |
| UL 2044 | Standard for Commercial Closed-Circuit Television Equipment |
| UL 2055 | Power Cable Assemblies |
| UL 2075 | Standard for Gas and Vapor Detectors and Sensors |
| UL 2089 | Standard for Vehicle Battery Adapters |
| UL 2097 | Reference Standard for Double Insulation Systems for Use in Electronic Equipment |
| UL 2108 | Standard for Low Voltage Lighting Systems |
| UL 2111 | Standard for Overheating Protection for Motors |
| UL 2125 | Motor-Operated Air Compressors for Use in Sprinkler Systems |
| UL 2126 | Low Voltage Fuses - Class CD Fuses |
| UL 2128 | Standard for Meat and Poultry Plant Equipment |
| UL 2157 | Electrical Clothes Washing Machines and Extractors |
| UL 2158 | Electric Clothes Dryers |
| UL 2161 | Standard for Neon Transformers and Power Supplies |
| UL 2196 | Standard for Tests for Fire Resistive Cables |
| UL 2200 | Standard for Stationary Engine Generator Assemblies |
| UL 2202 | Standard for Electric Vehicle (EV) Charging System Equipment |
| UL 2225 | Standard for Cables and Cable-Fittings For Use In Hazardous (Classified) Locations |
| UL 2231-1 | Standard for Personnel Protection Systems for Electric Vehicle (EV) Supply Circuits: General Requirements |
| UL 2231-2 | Personnel Protection Systems for Electric Vehicle (EV) Supply Circuits: Particular Requirements for Protection Devices for Use in Charging Systems |
| UL 2238 | Standard for Cable Assemblies and Fittings for Industrial Control and Signal Distribution |
| UL 2239 | Hardware for the Support of Conduit, Tubing, and Cable |
| UL 2250 | Standard for Instrumentation Tray Cable |
| UL 2251 | Standard for Plugs, Receptacles and Couplers for Electric Vehicles |
| UL 2255 | Standard for Receptacle Closures |
| UL 2267 | Standard for Fuel Cell Power Systems for Installation in Industrial Electric Trucks |
| UL 2273 | Festoon Cable |
| UL 2277 | Flexible Motor Supply Cable And Wind Turbine Tray Cable |
| UL 2333 | Standard for Infrared Thermometers |
| UL 2344 | Standard for Material Lifts |
| UL 2353 | Standard for Safety for Single- and Multi-Layer Insulated Winding Wire |
| UL 2388 | Standard for Flexible Lighting Products |
| UL 2459 | Insulated Multi-Pole Splicing Wire Connectors |
| UL 2460 | Non-shielded Cable |
| UL 2556 | Wire and Cable Test Methods |

| | |
|-------------------|---|
| UL 2562 | Pendant Cable |
| UL 3044 | Surveillance Closed Circuit Television Equipment |
| UL 4248-1 | Fuseholders - Part 1: General Requirements |
| UL 4248-4 | Fuseholders - Part 4: Class CC |
| UL 4248-5 | Fuseholders - Part 5: Class G |
| UL 4248-6 | Fuseholders - Part 6: Class H |
| UL 4248-8 | Fuseholders - Part 8: Class J |
| UL 4248-9 | Fuseholders - Part 9: Class K |
| UL 4248-11 | Fuseholders - Part 11: Type C (Edison Base) and Type S Plug Fuse |
| UL 4248-12 | Fuseholders - Part 12: Class R |
| UL 4248-15 | Fuseholders - Part 15: Class T |
| UL 5085-1 | Low Voltage Transformers - Part 1: General Requirements |
| UL 5085-2 | Low Voltage Transformers - Part 2: General Purpose Transformers |
| UL 5085-3 | Low Voltage Transformers - Part 3: Class 2 and Class 3 Transformers |
| UL 6140 (Subject) | Outline of Investigation for Wind Turbine Generating Systems |
| UL 6141 (Subject) | Outline of Investigation for Wind Turbine Converters and Interconnection Systems Equipment |
| UL 6142 | Proposed First Edition of the Standard for Wind Turbine Generating Systems - Small |
| UL 6500 | Standard for Audio/Video and Musical Instrument Apparatus for Household, Commercial, and Similar General Use |
| UL 60065 | Standard for Audio, Video and Similar Electronic Apparatus - Safety Requirements |
| UL 60079-0 | Electrical Apparatus for Explosive Gas Atmospheres - Part 0: General Requirements |
| UL 60079-1 | Electrical apparatus for explosive gas atmospheres - Part 1: Flameproof enclosures "d" |
| UL 60079-5 | Electrical Apparatus for Explosive Gas Atmospheres - Part 5: Powder Filling "q" |
| UL 60079-6 | Electrical Apparatus for Explosive Gas Atmospheres - Part 6: Oil-Immersion 'o' |
| UL 60079-7 | Explosive Atmospheres - Part 7: Equipment protection by increased safety 'e' |
| UL 60079-11 | Electrical Apparatus for Explosive Gas Atmospheres - Part 11: Intrinsic Safety "i" |
| UL 60079-15 | Electrical Apparatus for Explosive Gas Atmospheres - Part 15: Electrical Apparatus with Type of Protection "n" |
| UL 60079-18 | Electrical Apparatus for Explosive Gas Atmospheres - Part 18: Construction, Test and Marking of Type of Protection Encapsulation 'm' Electrical Apparatus |
| UL 60601-1 | Medical Electrical Equipment, Part 1: General Requirements for Safety |
| UL 60947-1 | Low-Voltage Switchgear and Controlgear - Part 1: General rules |
| UL 60947-4-1A | Low-Voltage Switchgear and Controlgear - Part 4-1: Contactors and motor-starters - Electromechanical contactors and motor-starters |
| UL 60947-5-2 | Standard for Low-Voltage Switchgear and Controlgear - Part 5-2: Control circuit devices and switching elements - Proximity switches |
| UL 60947-7-1 | Standard for Low-Voltage Switchgear And Controlgear - Part 7-1: Ancillary equipment - Terminal blocks for copper conductors |

| | |
|-----------------|---|
| UL 60947-7-2 | Standard for Low-Voltage Switchgear and Controlgear - Part 7-2: Ancillary Equipment - Protective Conductor Terminal Blocks for Copper Conductors |
| UL 60947-7-3 | Standard for Low-Voltage Switchgear and Controlgear - Part 7-3: Ancillary equipment - Safety requirements for fuse terminal blocks |
| UL 60950 | Safety of Information Technology Equipment |
| UL 60950-1 | Information Technology Equipment - Safety - Part 1: General Requirements |
| UL 60950-21 | Information Technology Equipment - Safety - Part 21: Remote Power Feeding |
| UL 60950-22 | Information Technology Equipment - Safety - Part 22: Equipment to be Installed Outdoors |
| UL 60950-23 | Information Technology Equipment - Safety - Part 23: Large Data Storage Equipment |
| UL 60974-1 | Standard for Arc Welding Equipment; Part 1: Welding Power Sources |
| UL 61010-031 | Safety Requirements for Electrical Equipment for Measurement, Control and Laboratory Use - Part 031: Safety requirements for hand-held probe assemblies for electrical measurement and test |
| UL 61010-1 | Safety Requirements for Electrical Equipment for Measurement, Control, and Laboratory Use - Part 1: General Requirements |
| UL 61010A-1 | Electrical Equipment For Laboratory Use; Part 1: General Requirements |
| UL 61010A-2-010 | Standard for Electrical Equipment for Laboratory Use; Part 2: Particular Requirements for Laboratory Equipment for the Heating of Materials |
| UL 61010A-2-020 | Standard for Electrical Equipment for Laboratory Use; Part 2: Particular Requirements for Laboratory Centrifuges |
| UL 61010A-2-041 | Standard for Electrical Equipment for Laboratory Use; Part 2: Particular Requirements for Autoclaves Using Steam for the Treatment of Medical Materials and for Laboratory Processes |
| UL 61010A-2-042 | Standard for Electrical Equipment for Laboratory Use; Part 2: Particular Requirements for Autoclaves and Sterilizers Using Toxic Gas for the Treatment of Medical Materials, and for Laboratory Processes |
| UL 61010A-2-051 | Standard for Electrical Equipment for Laboratory Use; Part 2: Particular Requirements for Laboratory Equipment for Mixing and Stirring |
| UL 61010A-2-061 | Standard for Electrical Equipment for Laboratory Use; Part 2: Particular Requirements for Laboratory Atomic Spectrometers with Thermal Atomization and Ionization |
| UL 61010B-1 | Electrical Measuring and Test Equipment; Part 1: General Requirements |
| UL 61010B-2-031 | Electrical Equipment for Measurement, Control, and Laboratory Use; Part 2: Particular Requirements for Hand-Held Probe Assemblies for Electrical Measurement and Test |
| UL 61010B-2-032 | Standard for Electrical Equipment for Measurement, Control, and Laboratory Use; Part 2: Particular Requirements for Hand-Held Current Clamps for Electrical Measurement and Test |
| UL 61010C-1 | Standard for Process Control Equipment |
| UL 61058-1 | Switches for Appliances - Part 1: General Requirements |
| UL 61131-2 | Standard for Programmable Controllers - Part 2: Equipment Requirements and Tests |
| UL 61496-1 | Standard for Electro-Sensitive Protective Equipment, Part 1: General Requirements and Tests |

| | |
|------------|--|
| UL 61496-2 | Standard for Electro-Sensitive Protective Equipment, Part 2: Particular Requirements for Equipment Using Active Opto-Electronic Protective Devices (AOPDs) |
|------------|--|