

Portable Power Tools

Chapter 296-807 WAC

Statutory Authority

296-807-100 Scope.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 07-03-163 (Order 06-30), § 296-807-100, filed 01/24/07, effective 04/01/07. Statutory Authority: RCW 49.17.010, .040, .050, and .060. 03-09-009 (Order 02-30), § 296-807-100, filed 04/04/03, effective 08/01/03.]

296-807-110 Switches (controls). Summary.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 03-09-009 (Order 02-30), § 296-807-110, filed 04/04/03, effective 08/01/03.]

296-807-11005 Make sure switches are safe.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 03-09-009 (Order 02-30), § 296-807-11005, filed 04/04/03, effective 08/01/03.]

296-807-120 Portable circular saws.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 03-09-009 (Order 02-30), § 296-807-120, filed 04/04/03, effective 08/01/03.]

296-807-12005 Make sure portable circular saws are safe to use.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 03-09-009 (Order 02-30), § 296-807-12005, filed 04/04/03, effective 08/01/03.]

296-807-130 Portable belt sanding machines.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 03-09-009 (Order 02-30), § 296-807-130, filed 04/04/03, effective 08/01/03.]

296-807-13005 Guard portable belt sanding machines.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 03-09-009 (Order 02-30), § 296-807-13005, filed 04/04/03, effective 08/01/03.]

296-807-140 Compressed air tools. Summary.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 03-09-009 (Order 02-30), § 296-807-140, filed 04/04/03, effective 08/01/03.]

<http://www.lni.wa.gov/>

Portable Power Tools

Chapter 296-807 WAC

Statutory Authority

296-807-14005 Follow the manufacturer's instructions.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 03-09-009 (Order 02-30), § 296-807-14005, filed 04/04/03, effective 08/01/03.]

296-807-14010 Prevent air tools from ejecting attachments.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 03-09-009 (Order 02-30), § 296-807-14010, filed 04/04/03, effective 08/01/03.]

296-807-14015 Protect employees from contact with compressed air.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 03-09-009 (Order 02-30), § 296-807-14015, filed 04/04/03, effective 08/01/03.]

296-807-14020 Make sure safeguards are used when cleaning with compressed air.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 03-09-009 (Order 02-30), § 296-807-14020, filed 04/04/03, effective 08/01/03.]

296-807-14025 Make sure airhose and plastic pipe supplying compressed air to portable air tools are safe.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 03-09-009 (Order 02-30), § 296-807-14025, filed 04/04/03, effective 08/01/03.]

296-807-14030 Make sure air tools are adequately designed and constructed.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 03-09-009 (Order 02-30), § 296-807-14030, filed 04/04/03, effective 08/01/03.]

296-807-14035 Use air tools safely.

[[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 07-03-163 (Order 06-30), § 296-807-14035, filed 01/24/07, effective 04/01/07. Statutory Authority: RCW 49.17.010, .040, .050, and .060. 03-09-009 (Order 02-30), § 296-807-14035, filed 04/04/03, effective 08/01/03.]

Portable Power Tools

Chapter 296-807 WAC

Statutory Authority

296-807-14040 Make sure fastener driving air tools (nailers and staplers) are safe.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 03-09-009 (Order 02-30), § 296-807-14040, filed 04/04/03, effective 08/01/03.]

296-807-150 Powder actuated fastening systems.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 03-09-009 (Order 02-30), § 296-807-150, filed 04/04/03, effective 08/01/03.]

296-807-15005 Make sure tool operators are qualified.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 03-09-009 (Order 02-30), § 296-807-15005, filed 04/04/03, effective 08/01/03.]

296-807-15010 Make sure employees are aware tools are in use and wear appropriate personal protective equipment.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 07-03-163 (Order 06-30), § 296-807-15010, filed 01/24/07, effective 04/01/07. Statutory Authority: RCW 49.17.010, .040, .050, and .060. 03-09-009 (Order 02-30), § 296-807-15010, filed 04/04/03, effective 08/01/03.]

296-807-15015 Make sure tools are adequately designed and constructed.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 03-09-009 (Order 02-30), § 296-807-15015, filed 04/04/03, effective 08/01/03.]

296-807-15020 Make sure tools and containers are properly labeled.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 03-09-009 (Order 02-30), § 296-807-15020, filed 04/04/03, effective 08/01/03.]

296-807-15025 Make sure powder loads and power levels are properly identified.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 03-09-009 (Order 02-30), § 296-807-15025, filed 04/04/03, effective 08/01/03.]

<http://www.lni.wa.gov/>

Portable Power Tools

Chapter 296-807 WAC

Statutory Authority

296-807-15030 Use proper powder loads.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 03-09-009 (Order 02-30), § 296-807-15030, filed 04/04/03, effective 08/01/03.]

296-807-15035 Make sure the tool is appropriate to the job.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 03-09-009 (Order 02-30), § 296-807-15035, filed 04/04/03, effective 08/01/03.]

296-807-15040 Make sure the operator uses the tool safely.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 03-09-009 (Order 02-30), § 296-807-15040, filed 04/04/03, effective 08/01/03.]

296-807-15045 Use fasteners safely.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 03-09-009 (Order 02-30), § 296-807-15045, filed 04/04/03, effective 08/01/03.]

296-807-15050 Inspect and maintain tools properly.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 03-09-009 (Order 02-30), § 296-807-15050, filed 04/04/03, effective 08/01/03.]

296-807-15055 Make sure tools are stored properly.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 03-09-009 (Order 02-30), § 296-807-15055, filed 04/04/03, effective 08/01/03.]

296-807-160 Power lawnmowers. Summary

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 03-09-009 (Order 02-30), § 296-807-160, filed 04/04/03, effective 08/01/03.]

296-807-16005 Make sure equipment meets minimum design and construction requirements.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 03-09-009 (Order 02-30), § 296-807-16005, filed 04/04/03, effective 08/01/03.]

Portable Power Tools

Chapter 296-807 WAC

Statutory Authority

296-807-16010 Make sure the equipment has the appropriate labels and decals.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 03-09-009 (Order 02-30), § 296-807-16010, filed 04/04/03, effective 08/01/03.]

296-807-16015 Make sure the operator understands and follows instructions before starting the mower.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 03-09-009 (Order 02-30), § 296-807-16015, filed 04/04/03, effective 08/01/03.]

296-807-16020 Use the equipment safely.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 03-09-009 (Order 02-30), § 296-807-16020, filed 04/04/03, effective 08/01/03.]

296-807-16025 Protect employees from fuel and exhaust.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 03-09-009 (Order 02-30), § 296-807-16025, filed 04/04/03, effective 08/01/03.]

296-807-16030 Use walk-behind mowers safely.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 03-09-009 (Order 02-30), § 296-807-16030, filed 04/04/03, effective 08/01/03.]

296-807-16035 Use ride-on mowers safely.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 03-09-009 (Order 02-30), § 296-807-16035, filed 04/04/03, effective 08/01/03.]

296-807-170 Jacks. Summary.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 03-09-009 (Order 02-30), § 296-807-170, filed 04/04/03, effective 08/01/03.]

296-807-17005 Make sure jacks are labeled with their rated load(s).

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 03-09-009 (Order 02-30), § 296-807-17005, filed 04/04/03, effective 08/01/03.]

<http://www.lni.wa.gov/>

Portable Power Tools

Chapter 296-807 WAC

Statutory Authority

296-807-17010 Make sure the jack is safe to lift the load.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 03-09-009 (Order 02-30), § 296-807-17010, filed 04/04/03, effective 08/01/03.]

296-807-17015 Life the load safely.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 03-09-009 (Order 02-30), § 296-807-17015, filed 04/04/03, effective 08/01/03.]

296-807-17020 Visually inspect jacks and keep them in good working order.

[[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 07-03-163 (Order 06-30), § 296-807-17020, filed 01/24/07, effective 04/01/07. Statutory Authority: RCW 49.17.010, .040, .050, and .060. 03-09-009 (Order 02-30), § 296-807-17020, filed 04/04/03, effective 08/01/03.]

296-807-180 Portable tools using abrasive wheels. Summary.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 03-09-009 (Order 02-30), § 296-807-180, filed 04/04/03, effective 08/01/03.]

296-807-18005 Make sure abrasive wheels and tools are properly designed and constructed.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 03-09-009 (Order 02-30), § 296-807-18005, filed 04/04/03, effective 08/01/03.]

296-807-18010 Make sure machines have safety guards.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 03-09-009 (Order 02-30), § 296-807-18010, filed 04/04/03, effective 08/01/03.]

296-807-18015 Keep safety guards in good functional condition.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 03-09-009 (Order 02-30), § 296-807-18015, filed 04/04/03, effective 08/01/03.]

Portable Power Tools

Chapter 296-807 WAC

Statutory Authority

296-807-18020 Use specific safety guards for machines using Type 1 grinding wheels, cutting-off wheels, and tuck pointing wheels.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 03-09-009 (Order 02-30), § 296-807-18020, filed 04/04/03, effective 08/01/03.]

296-807-18025 Use specific safety guards for vertical and angle grinders using Type 6 or Type 11 wheels.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 03-09-009 (Order 02-30), § 296-807-18025, filed 04/04/03, effective 08/01/03.]

296-807-18030 Use specific safety guards for vertical and angle grinders using Type 27, 28 and 29 wheels.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 03-09-009 (Order 02-30), § 296-807-18030, filed 04/04/03, effective 08/01/03.]

296-807-18035 Use side handles on vertical and angle grinders.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 03-09-009 (Order 02-30), § 296-807-18035, filed 04/04/03, effective 08/01/03.]

296-807-18040 Make sure abrasive wheels are safe to use.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 03-09-009 (Order 02-30), § 296-807-18040, filed 04/04/03, effective 08/01/03.]

296-807-18045 Mount wheels properly.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 03-09-009 (Order 02-30), § 296-807-18045, filed 04/04/03, effective 08/01/03.]

296-807-18050 Use proper flanges.

[[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 07-03-163 (Order 06-30), § 296-807-100, filed 01/24/07, effective 04/01/07. Statutory Authority: RCW 49.17.010, .040, .050, and .060. 03-09-009 (Order 02-30), § 296-807-18050, filed 04/04/03, effective 08/01/03.]

<http://www.lni.wa.gov/>

Portable Power Tools

Chapter 296-807 WAC

Statutory Authority

296-807-18055 Make sure flanges are in good condition.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 03-09-009 (Order 02-30), § 296-807-18055, filed 04/04/03, effective 08/01/03.]

296-807-18060 Use specific flanges for Type 1 cutting-off wheels.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 03-09-009 (Order 02-30), § 296-807-18060, filed 04/04/03, effective 08/01/03.]

296-807-18065 Use specific flanges for Type 27A cutting-off wheels.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 03-09-009 (Order 02-30), § 296-807-18065, filed 04/04/03, effective 08/01/03.]

296-807-18070 Use specific flanges for threaded hole wheels.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 03-09-009 (Order 02-30), § 296-807-18070, filed 04/04/03, effective 08/01/03.]

296-807-18075 Use specific flanges for cup, cone or plug wheels with threaded inserts or projecting studs.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 03-09-009 (Order 02-30), § 296-807-18075, filed 04/04/03, effective 08/01/03.]

296-807-18080 Use blotters when required.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 03-09-009 (Order 02-30), § 296-807-18080, filed 04/04/03, effective 08/01/03.]

296-807-18085 Meet specific blotter requirements when using modified Type 6 and 11 wheels (terrazzo).

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 03-09-009 (Order 02-30), § 296-807-18085, filed 04/04/03, effective 08/01/03.]

296-807-190 Definitions.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 03-09-009 (Order 02-30), § 296-807-190, filed 04/04/03, effective 08/01/03.]

Portable Power Tools

Chapter 296-807 WAC

Statutory Authority

<http://www.lni.wa.gov/>