Canadian Standards Association operating as CSA Group 178 Rexdale Blvd., Rexdale (Toronto), Ontario, Canada M9W 1R3 Benjamin Barker, Manager Accreditations, Phone: 416-747-4013

www.csagroup.org

STANDARD

DESCRIPTION

| AGA B109.4 | Self-Operated Diaphragm-Type Natural Gas Service Regulators |
|---------------|--|
| AHRI 810 | Performance Rating of Automatic Commercial Ice-Makers |
| AHRI 870 | Performance Rating of Direct Geoexchange Heat Pumps |
| ANSI A17.5 | Elevators and Escalator Electrical Equipment |
| ANSI B175.1 | Power Tools - Gasoline- Powered Chain Saws - Safety Requirements |
| ANSI B175.4 | For Outdoor Power Equipment – Portable, Handheld, Internal-Combustion-Engine- Driven Cut-Off Machines – Safety Requirements |
| ANSI C37.09 | Standard Test Procedure for AC High-Voltage Circuit Breakers Rated on a Symmetrical Current Basis |
| ANSI C37.12 | AC High-Voltage Circuit Breakers Rated on a Symmetrical Current Basis - Specifications Guide |
| ANSI C37.013 | AC High-Voltage Generator Circuit Breakers Rated on a Symmetrical |
| ANSI C37.13 | Low-Voltage AC Power Circuit Breakers Used In Enclosures |
| ANSI C37.14 | Low-Voltage DC Power Circuit Breakers Used in Enclosures |
| ANSI C37.17 | Trip Devices for AC and General Purpose DC Low-Voltage Power Circuit Breakers |
| ANSI C37.18 | Enclosed Field Discharge Circuit Breakers for Rotating Electric Machinery |
| ANSI C37.20.1 | Metal-Enclosed Low-Voltage Power Circuit-Breaker Switchgear |
| ANSI C37.20.2 | Metal-Clad and Station-Type Cubicle Switchgear |
| ANSI C37.20.3 | Metal-Enclosed Interrupter Switchgear |
| ANSI C37.21 | Control Switchboards |
| ANSI C37.23 | Metal Enclosed Bus and Calculating Losses in Isolated-Place Bus |
| ANSI C37.29 | Low-Voltage AC Power Circuit Protectors Used in Enclosures |
| ANSI C37.41 | Design Tests for High-Voltage Fuses, Distribution Enclosed Single Pole Air Switches, Fuse Disconnecting Switches and Accessories |
| ANSI C37.45 | Distribution Enclosed Single-Pole Air Switches |
| ANSI C37.46 | Specifications for Power Fuses and Fuse Disconnecting Switches |
| ANSI C37.47 | Specifications for Distribution Fuse Disconnecting Switches, Fuse Supports, and Current-Limiting Fuses |
| ANSI C37.50 | Low-Voltage AC Power Circuit Breakers Used in Enclosures Test Procedures |
| ANSI C37.51 | Metal-Enclosed Low-Voltage AC Power Circuit-Breaker Switchgear Assemblies |
| | |

| | Conformance Test Procedures |
|----------------------|--|
| ANSI C37.52 | Low-Voltage AC Power Circuit Protectors Used in Enclosures Test Procedures |
| ANSI C37.53.1 | High-Voltage Current Motor-Starter Fuses Conformance Test Procedures |
| ANSI C37.54 | Indoor Alternating-Current High Voltage Circuit Breakers Applied as Removable Elements in Metal-Enclosed Switchgear, AssembliesConformance Test Procedures |
| ANSI C37.55 | Metal-Clad Switchgear AssembliesConformance Test Procedures |
| ANSI C37.57 | Metal-Enclosed Interrupter Switchgear AssembliesConformance Testing |
| ANSI C37.58 | Indoor AC Medium-Voltage Switches for Use in Metal-Enclosed Switchgear Conformance Testing Procedures |
| ANSI C37.66 | Oil-Filled Capacitor Switches for Alternating-Current Systems Requirements |
| ANSI C37.121 | Unit SubstationsRequirements |
| ANSI C57.13 | Requirements for Instrument Transformers |
| ANSI C62.11 | Metal Oxide Surge Arresters for AC Power Circuits |
| ANSI/AAMI ES60601-1 | Medical Electrical Equipment - Part 1: General requirements for basic safety and essential performance |
| ANSI/AAMI 60601-1-2 | Medical Electrical Equipment - Part 1-2: General requirements for basic safety and essential performance - Collateral standard: Electromagnetic compatibility - Requirements and tests |
| ANSI/AAMI 60601-1-8 | Medical Electrical Equipment - Part 1-8: General requirements for basic safety and essential performance - Collateral Standard: General requirements, tests and guidance for alarm systems in medical electrical equipment and medical electrical systems. |
| ANSI/AAMI 60601-2-2 | Medical Electrical Equipment - Part 2-2: Particular requirements for the basic safety and essential performance of high frequency surgery equipment and high frequency surgical accessories |
| ANSI/AAMI 60601-2-4 | Medical Electrical Equipment - Part 2-4: Particular requirements for basic safety and essential performance of cardiac defibrillators |
| ANSI/AAMI 60601-2-16 | Medical Electrical Equipment - Part 2-16: Particular Requirements for Basic Safety and Essential Performance of Haemodialysis, Haemodiafiltration and Haemofiltration Equipment |
| ANSI/AAMI 60601-2-19 | Medical Electrical Equipment - Part 2-19: Particular requirements for the basic safety and essential performance of infant incubators |
| ANSI/AAMI 60601-2-20 | Medical Electrical Equipment - Part 2-20: Particular requirements for the basic safety and essential performance of infant transport incubators |
| ANSI/AAMI 60601-2-21 | Medical Electrical Equipment - Part 2-21: Particular requirements for the basic safety and essential; performance of infant radiant warmers |
| ANSI/AAMI 60601-2-25 | Medical Electrical Equipment - Part 2-25: Particular requirements for the basic safety and essential performance of electrocardiographs |
| ANSI/AAMI 60601-2-27 | Medical Electrical Equipment - Part 2-27: Particular requirements for the basic safety and essential performance, of electrocardiographic monitoring equipment |

| ANSI/AAMI 60601-2-47 | Medical Electrical Equipment - Part 2-47: Particular requirements for the basic safety and essential performance of ambulatory electrocardiographic systems |
|----------------------------|--|
| ANSI/AAMI 60601-2-50 | Medical Electrical Equipment - Part 2-50: Particular requirements for the basic safety and essential performance of infant phototherapy equipment |
| ANSI/AAMI HA60601-1- 11 | Medical Electrical Equipment - Part 1-11: General requirements for basic safety and essential performance - Collateral standard: Requirements for medical equipment and medical electrical systems used in home healthcare environment |
| ANSI/AAMI 62304 | Medical device software - Software life cycle processes |
| ANSI/AAMI 62366 | Medical devices – Application of usability engineering to medical devices |
| ANSI/AAMI 62366-1 | Medical devices – Part1: Application of usability engineering to medical devices |
| ANSI/AAMI 80601-2-58 | Medical Electrical Equipment - Part 2-58: Particular requirements for the basic safety and essential performance of lens removal devices and vitrectomy devices for ophthalmic surgery |
| ANSI/AHAM HRF-1 | Energy and Internal Volume of Refrigerating Appliances |
| ANSI-ASC A14.7 | American National Standard for Mobile Ladder Stands and Mobile Ladder Stand Platforms |
| ANSI/ASSE 1025 | Performance Requirements for Diverters for Plumbing Faucets, with Hose Spray, Anti- Syphon Type, Residential Applications |
| ANSI/ASSE Z359.1 | Safety Requirements for Personal Fall Arrest Systems, Subsystems and Components |
| ANSI/ASSE Z359.3 | Safety Requirements for Positioning and Travel Restraint Systems |
| ANSI/ASSE Z359.11 | Safety Requirements for Full Body Harnesses |
| ANSI/ASSE Z359.13 | Personal Energy Absorbers and Energy Absorbing Lanyards |
| ANSI/CSA FC 1 | Fuel Cell Technologies - Part 3-100: Stationary Fuel Cell Power Systems - Safety |
| ANSI/CSA America FC 3 | Portable Fuel Cell Power Systems |
| ANSI HGV 2 | Compressed hydrogen gas vehicle fuel containers |
| ANSI HGV 3.1 | Fuel System Components for Compressed Hydrogen Gas Powered Vehicles |
| ANSI/CSA HGV 4.1 | Hydrogen Dispensing Systems |
| ANSI/CSA HGV 4.4 | Breakaway devices for compressed hydrogen dispensing hoses and systems |
| ANSI/CSA HGV 4.8 | Hydrogen gas vehicle fueling station compressor guidelines |
| ANSI HRPD 1 | Thermally activated pressure relief devices for compressed hydrogen vehicle fuel containers |
| ANSI/IEC 60974-1 | Arc Welding Equipment; Part 1: Welding Power Sources |
| ANSI/IEEE C37.20.2 | Metal-Clad and Station-Type Cubicle Switchgear |
| ANSI/IEEE C37.20.3 | Metal enclosed interrupter switchgear |
| ANSI/IEEE C37.71 | Three-phase, manually operated subsurface load-interrupting switches for alternating - current systems |
| ANSI/IEEE C62.1 | Surge Arresters for Alternating-Current Power Circuits |
| | |

| ANSI/IEEE C62.11 | Standard for Metal Oxide Surge Arresters for AC Power Circuits |
|---------------------|---|
| ANSI/ISA 12.12.01 | Nonincendive Electrical Equipment for Use in Class I and II, Division 2 and Class III, Divisions 1 and 2 Hazardous (Classified) Locations |
| ANSI/ISA 12.13.01 | Performance Requirements for Combustible Gas Detectors |
| ANSI/ISA 12.27.01 | Requirements for Process Sealing Between Electrical Systems and Flammable or Combustible Process Fluids |
| ANSI/ISA 82.02.01 | Safety Standard for Electrical and Electronic Test, Measuring, Controlling, and Related Equipment - General Requirements |
| ANSI/ISA 60079-29-1 | Explosive Atmospheres - Part 29-1: Gas detectors - Performance requirements of detectors for flammable gases |
| ANSI/ISA 61010-1 | Safety Requirements for Electrical Equipment For Measurement, Control, and Laboratory Use - Part 1: General Requirements (Second Edition) |
| ANSI/ISEA 107 | High-Visibility Safety Apparel and Accessories |
| ANSI/ISEA Z87.1 | Occupational and Educational Personal Eye and Face Protection Devices |
| ANSI/ISEA Z358.1 | Emergency Eyewash and Shower Equipment |
| ANSI LC 1 | Fuel Gas Piping Systems Using Corrugated Stainless Steel Tubing (CSST) |
| ANSI LC4 | Press-Connect Metallic Fittings For Use In Fuel Gas Distribution Systems |
| ANSI LC6 | Natural Gas Operated Diaphragm Pumps |
| ANSI LC7 | Pipe Joint Sealing Compounds and Materials |
| ANSI/CSA NGV 2 | Compressed Natural Gas Vehicle Fuel Containers |
| ANSI NGV 3.1 | Fuel System Components for Compressed Natural Gas Powered Vehicles |
| ANSI NGV 4.1 | NGV Dispensing Systems |
| ANSI NGV 4.4 | Breakaway Devices for Natural Gas Dispensing Hoses and Systems |
| ANSI NGV 4.6 | Manually Operated Valves for Natural Gas Dispensing Systems |
| ANSI NGV 4.8 | Natural gas vehicle fueling station reciprocating compressor guidelines |
| ANSI/CSA NGV 5.1 | Residential fueling appliances |
| ANSI NGV1 | Compressed Natural Gas Vehicle (NGV) Fueling Connection Devices |
| ANSI PRD 1 | Pressure Relief Devices for Natural Gas Vehicle Fuel Containers |
| ANSI S82.02.01 | Electric and Electronic Test, Measuring, Controlling, and Related Equipment: General Requirement |
| ANSI/UL 60745-2-13 | Hand-Held Motor Operated Electric Tools-Safety - Part 2-13: Particular requirements for chain saws |
| ANSI Z21.1 | Household Cooking Gas Appliances |
| ANSI Z21.5.1 | Gas Clothes Dryers Type 1 |
| ANSI Z21.5.2 | Gas Clothes Dryers, Type 2, Volume II |
| | |

| ANSI Z21.10.3 ANSI Z21.11.2 ANSI Z21.12 | Gas Water Heaters, Volume III Storage, With Input Ratings Above 75,000 Btu Per Hour, Circulating and Instantaneous Water Heaters Gas-Fired Room Heaters Volume II Unvented Room Draft Hood Gas-Fired Low-Pressure Steam and Hot Water Heating Boilers Manually Operated Gas Valves Domestic Gas Conversion Burners |
|---|---|
| | Draft Hood Gas-Fired Low-Pressure Steam and Hot Water Heating Boilers Manually Operated Gas Valves Domestic Gas Conversion Burners |
| ANSI Z21.12 | Gas-Fired Low-Pressure Steam and Hot Water Heating Boilers Manually Operated Gas Valves Domestic Gas Conversion Burners |
| _ | Manually Operated Gas Valves Domestic Gas Conversion Burners |
| ANSI Z21.13 | Domestic Gas Conversion Burners |
| ANSI Z21.15 | |
| ANSI Z21.17 | |
| ANSI Z21.18 | Gas Appliance Pressure Regulators |
| ANSI Z21.19 | Refrigerators Using Gas Fuel |
| ANSI Z21.20 | Automatic Gas Ignition Systems and Components |
| ANSI Z21.21 | Automatic Valves for Gas Appliances |
| ANSI Z21.22 | Relief Valves and Automatic Gas Shutoff Devices for Hot Water Supply Systems |
| ANSI Z21.23 | Gas Appliance Thermostats |
| ANSI Z21.24 | Metal Connectors for Gas Appliances |
| ANSI Z21.35 | Gas Filters on Appliances |
| ANSI Z21.40.1 | Gas-Fired Absorption Summer Air Conditioning Appliances |
| ANSI Z21.40.2 | Gas-Fired, Work Activated Air-Conditioning and Heat Pump Appliances (Internal Combustion) |
| ANSI Z21.41 | Quick-Disconnect Devices for Use with Gas Fuel |
| ANSI Z21.42 | Gas-Fires Illuminating Appliances |
| ANSI Z21.47 | Gas-Fired Central Furnaces |
| ANSI Z21.50 | Vented Decorative Gas Appliances |
| ANSI Z21.54 | Gas Hose Connectors for Portable Outdoor Gas-Fired Appliances |
| ANSI Z21.56 | Gas-Fired Pool Heaters |
| ANSI Z21.57 | Recreational Vehicle Cooking Gas Appliances |
| ANSI Z21.58 | Outdoor Cooking Gas Appliances |
| ANSI Z21.60 | Decorative Gas Appliances for Installation in Vented Fireplaces |
| ANSI Z21.61 | |
| ANSI Z21.63 | Standard for Portable Type Gas Camp Heaters |
| ANSI Z21.66 | Automatic Vent Damper Devices for Use With Gas-Fired Appliances Electrically Operated |
| ANSI Z21.69 | Connectors for Movable Gas Appliances |

| ANSI Z21.71 | Automatic Intermittent Pilot Ignition Systems for Field Installation |
|--------------|---|
| ANSI Z21.72 | Portable Type Gas Camp Stoves |
| ANSI Z21.73 | Portable Camp Lanterns for Use With Propane Gas |
| ANSI Z21.74 | Portable Refrigerators for Use With HD-5 Propane Gas |
| ANSI Z21.75 | Connectors for Outdoor Gas Appliances and Manufactured Homes |
| ANSI Z21.76 | Gas-Fired Unvented Catalytic Room Heaters for Use With Liquefied Petroleum (LP) Gases |
| ANSI Z21.77 | Manually Operated Piezo-Electric Spark Gas Ignition Systems |
| ANSI Z21.78 | Combination Gas Controls For Gas Appliances |
| ANSI Z21.79 | Gas Appliance Sediment Traps |
| ANSI Z21.80 | Line Pressure Regulators |
| ANSI Z21.81 | Cylinder Connection Devices |
| ANSI Z21.84 | Manually Lighted, Natural Gas Decorative Appliances for Installation In Solid-Fuel Burning Fireplaces |
| ANSI Z21.86 | Vented Gas-Fired Space Heating Appliances |
| ANSI Z21.87 | Automatic Gas Shutoff Devices for Hot Water Supply Systems |
| ANSI Z21.88 | Vented Gas Fireplace Heaters |
| ANSI Z21.89 | Outdoor Cooking Specialty Gas Appliances |
| ANSI Z21.90 | Gas Convenience Outlets and Optional Enclosures |
| ANSI Z21.91 | Ventless Firebox Enclosures for Gas-Fired Unvented Decorative Room Heaters |
| ANSI Z21.92 | Manually Operated Electric Gas Ignition Systems and Components |
| ANSI Z21.93 | Excess Flow Valves For Natural and Propane Gas With Pressures Up To 5 psig |
| ANSI Z21.94 | Automatic Flammable Vapor Sensor Systems and Components |
| ANSI Z21.96 | Portable Water Heaters for Outdoor Use |
| ANSI Z21.97 | Outdoor Decorative Gas Appliances |
| ANSI Z21.101 | Gas Hose Connectors For Portable and Moveable Gas Appliances |
| ANSI Z49.1 | Safety in Welding and Cutting |
| ANSI Z83.4 | Direct Gas-Fired Make-Up Air Heaters |
| ANSI Z83.7 | Gas-Fired Construction Heaters |
| ANSI Z83.8 | Gas Unit Heaters |
| ANSI Z83.11 | Gas Food Service Equipment Ranges and Unit broilers |
| ANSI Z83.18 | |
| | Direct Gas-Fired Industrial Air Heaters |

| ANSI Z83.20 | Gas-Fired Low Intensity Infrared Heaters |
|---------------------------------------|---|
| ANSI Z83.21 | Commercial Dishwashers |
| ANSI Z83.25 | Direct Gas-Fired Process Air Heaters |
| ANSI Z83.26 | Gas-Fired Outdoor Infrared Patio Heaters |
| ANSI Z1157 | Ball Valves |
| ANSI Z124.8 | Plastic Liners for Bathtubs and Shower Receptors |
| ASCE 25 | Earthquake-Actuated Automatic Gas Shutoff Devices |
| ASME A17.1 | Safety Code for Elevators and Escalators |
| ASME-A17.5 | Elevator and Escalator Electrical Equipment |
| ASME A18.1 | Safety Standard for Platform Lifts and Stairway Chairlifts |
| ASME A112.3.1 | Stainless Steel Drainage Systems for Sanitary DWV, Storm, and Vacuum Applications, Above and Below-Ground |
| ASME A112.3.4 | Macerating Toilet Systems and Related Components |
| ASME A112.4.2 | Personal hygiene devices for water closets |
| ASME A112.4.3 | Plastic Fittings for Connecting Water Closets to the Sanitary Drainage Systems |
| ASME A112.4.14 | Manually Operated, Quarter-Turn shutoff Valves for Use in Plumbing Systems |
| ASME A112.6.1M | Floor-Affixed Supports for Off-the-Floor Plumbing Fixtures |
| ASME A112.6.2 | Framing-Affixed Supports for Off-the-Floor Water Closets with Concealed Tanks |
| ASME A112.6.3 | Floor and Trench Drains |
| ASME A112.14.1 | Backwater Valves |
| ASME A112.14.3 | Grease Interceptors |
| ASME A112.14.4 | Grease Removal Devices |
| ASME A112.18.1 | Plumbing Supply Fittings |
| ASME A112.18.2 | Plumbing Waste Fittings |
| ASME A112.18.3 | Performance Requirements for Backflow Protection Devices and Systems in Plumbing Fixture Fittings |
| ASME A112.18.6 | Flexible Water Connectors |
| ASME A112.18.7 | Deck Mounted Bath/Shower Transfer Valves with Integral Backflow Protection |
| ASME A112.19.1 | Enamelled Cast Iron and Enamelled Steel Plumbing Fixtures |
| ASME A112.19.2 | Ceramic Plumbing Fixtures |
| ASME A112.19.3 | Stainless Steel Plumbing Fixtures |
| ASME A112.19.4M | Porcelain Enamelled Formed Steel Plumbing Fixtures |
| ASME A112.19.5 | Flush valves and spuds for water closets, urinals, and tanks |
| · · · · · · · · · · · · · · · · · · · | |

| ASME A112.19.7 | Hydromassage Bathtub Systems |
|-----------------------------|--|
| ASME A112.19.9 | Non-vitreous Ceramic Plumbing Fixtures |
| ASME A112.19.10 | Dual Flush Devices for Water Closets |
| ASME A112.19.14 | Six-Liter Water Closets Equipped with Dual Flushing Device |
| ASME A112.36.2 | Cleanouts |
| ASME B16.33 | Manually Operated Metallic Gas Valves For Use in Gas Piping Systems up to 175 psig (sizes NPS 1/2 through NPS 2) |
| ASME B16.38 | Large Metallic Valves For Gas Distribution (Manually Operated, NPS 2-1/2 to NPS 12, 125 psig Maximum |
| ASME B16.40 | Manually Operated Thermoplastic Gas Shutoffs and Valves in Gas Distribution Systems |
| ASME B16.44 | Manually Operated Metallic Valves for Use in Aboveground Piping Systems Up to 5 PSI |
| ASME B16.51 | Copper and Copper Alloy Press-Connect Pressure Fittings |
| ASSE 1001 | Performance Requirements for Atmospheric Type Vacuum Breakers |
| ASSE 1002/ASME A112.1002 | Anti-Siphon fill valves for water closet tanks |
| ASSE 1003 | Performance Requirements for Water Pressure Reducing Valves for Domestic Water Distribution Systems |
| ASSE 1005 | Water Heater Drain Valves - 3/4 Inch Size |
| ASSE 1011 | Performance Requirements for Hose Connection Vacuum Breakers |
| ASSE 1012 | Performance Requirements for Backflow Preventer With Intermediate Atmospheric Vent |
| ASSE 1013 | Performance Requirements for Reduced Pressure Principle Backflow Preventers and Reduced Pressure Principle Fire Protection Backflow Preventers |
| ASSE 1014 | Performance Requirements for Backflow Prevention Devices for Hand Held Showers |
| ASSE 1015 | Performance Requirements for Double Check Backflow Prevention Assemblies and Double Check Fire Protection Backflow Prevention Assemblies |
| ASSE 1016/ASME A112.1016 | Performance Requirements for automatic compensating valves for individual showers and tub/shower combinations |
| ASSE 1018 | Performance Requirements for Trap Seal Primer Valves - Potable Water Supplied |
| ASSE 1019 | Performance Requirements for Wall Hydrant with Backflow Protection and Freeze Resistance |
| ASSE 1020 | Performance Requirements for Pressure Vacuum Breaker Assembly |
| ASSE 1024 | Performance Requirements for Dual Check Backflow Preventers |
| ASSE 1035 | Performance Requirements for Laboratory Faucet Backflow Preventers |
| ASSE 1037/ASME A112.1037 | Pressurized Flushing Devices (Flushometers) for Plumbing Fixtures |
| ASSE 1044 | Performance Requirements for Trap Seal Primer Devices – Drainage Types and Electronic Design Types |

| ASSE 1051 | Individual and Branch Type Air Admittance Valves for Sanitary Drainage Systems |
|--|--|
| ASSE 1052 | Performance Requirements for Hose Connection Backflow Preventers |
| ASSE 1055 | Performance Requirements for Chemical Dispensing Systems |
| ASSE 1056 | Performance Requirements for Spill Resistant Vacuum Breaker Assemblies |
| ASSE 1061 | Performance Requirements for Push-Fit Fittings |
| ASSE 1062 | Performance Requirements for Temperature Actuated, Flow Reduction (TAFR) Valves for Individual Supply Fittings |
| ASTM C1173 | Flexible Transition Couplings for Underground Piping Systems |
| ASTM C1173 | Standard Specification for Flexible Transition Couplings for Underground Piping Systems |
| ASTM C1277 | Standard Specification for Shielded Couplings Joining Hubless Cast Iron Soil Pipe and Fittings |
| ASTM C1460 | Standard Specification for Shielded Transition Couplings For Use With Dissimilar DWV Pipe and Fittings Above Ground |
| ASTM D2661 | Acrylonitrile-Butadiene-Styrene (ABS) Schedule 40 Plastic Drain, Waste and Vent Pipe and Fittings |
| ASTM F1361 | Test Method for the Performance of Open Deep Fat Fryers (standard fryers) |
| ASTM F1605 | Standard Test Method for the Performance of Double-Sided Griddles |
| ASTM F1871 | Standard Specification for Folded/Formed Poly (Vinyl Chloride) Pipe Type A for Existing Sewer and Conduit Rehabilitation |
| ASTM F2413 | Standard Specification for Performance Requirements for Protective (Safety) Toe Cap Footwear |
| CISPI 310 | Specification for Coupling for use in Connection with Hubless Cast Iron Soil Pipe and Fittings for Sanitary and Storm Drain, Waste, and Vent Piping Applications |
| CSA International Requirements No. 4.01 U.S. | Valve Proving Systems for Automatic Gas Shut-Off Valves |
| CSA Requirement 5.99 U.S. | Hydrogen Generators |
| CSA Requirement 6.96- US | Residential Carbon Monoxide Alarms |
| FM 3600 | Electrical Equipment for Use in Hazardous (Classified) Locations - General Requirements |
| FM 3610 | Intrinsically Safe Apparatus and Associated Apparatus for Use in Class I, II, and III, Division 1, Hazardous (Classified) Locations |
| FM 3611 | Nonincendive Electrical Equipment for Use in Class I and Class II, Division 2, and Class III, Division 1 and 2 Hazardous (Classified) Locations |
| FM 3613 | Electric Flashlights and Lanterns for Use in Class I, II and III, Division 2, Hazardous |
| | Locations |

| FM 3616 | Dust-Ignitionproof Electrical Equipment, General Requirements |
|-------------------------------|--|
| FM 3620 | Purged and Pressurized Electrical Equipment for Hazardous (Classified) Locations |
| FM 3810 | Electrical and Electronic Test, Measuring, and Process Control Equipment |
| FM 6310 | Combustible Gas Detectors |
| | |
| FM 6320 | Combustible Gas Detectors |
| FM 6325 | Combustible Open Path Gas Monitors |
| FM 7151-7157 | Liquefied Petroleum Gas Vaporizers, Gas-Air Mixers and Vaporizer Mixers |
| HVI 916 | Airflow Test Procedures |
| IAPMO IGC 115 | Automatic Water Leak Detection and Control Systems |
| IAPMO IGC 154 | Shower and Tub/Shower Enclosures, Bathtubs with Glass Pressure-Sealed Doors, and Shower Panels |
| IAPMO IGC 195 | Shower Drains with Integrated Bonding Flanges |
| IAPMO IGC 198 | Elastomeric Elbows and Tees for Above Ground Non-Pressure DWV Repair Applications |
| IAPMO IGC 258 | Low Flow Laundry Faucet |
| IAPMO PS53 | Grooved Mechanical Pipe Couplings and Grooved Fittings |
| IAPMO PS79 | Multiport Electronic Trap Primer |
| IAPMO PS 90 | Elastomeric Test Caps, Cleanout Caps, and Combination Test Caps / Shielded Couplings |
| IAPMO TS 2 | Waste Holding Tanks |
| IAPMO TS 4 | Pressurized and Non-Pressurized Potable Water Tanks for Use in Recreational Vehicles |
| IAPMO TS8 | Backflow Preventers and Relief Valves |
| IAPMO TS11 | Non-Metallic Fixtures |
| IAPMO TS25 | Reinforced Hoses for Recreational-Vehicle Pressurized Water Systems |
| IAPMO TS28 | Water Pressure Reducing Regulators for Use in Recreational Vehicles |
| IAPMO Z124 | Plastic Plumbing Fixtures |
| IAPMO Z403 | Terrazzo, Concrete, and Natural Stone Plumbing Fixtures |
| IAPMO Z401 | Glass plumbing fixtures |
| IAPMO Z402 | Aluminum and copper plumbing fixtures |
| IAPMO Z600 | Flexible water connectors with excess flow shut-off devices |
| IAS U.S. Requirements 1-88 | Automatic Combustion and Ventilation Air Control Devices |
| IAS -U.S. Requirement 1-92 | Automatic, Non-Shutoff Modulating Gas Valves |
| IAS U.S. Requirement 3- 97 | Pneumatically Actuated Valves |

| IAS U.S. Requirements 4-88 | Adhesive Attached Marking Systems |
|-------------------------------|--|
| IAS - U.S. Requirement 6-90 | Mechanical Venting Systems |
| IAS U.S. Requirement 11-93 | LPG Fuel System Components For Use On Highway Vehicles |
| NEMA VE 1 | Metal Cable Tray systems |
| NFPA 70 | General Requirements - National Electrical Code |
| NFPA 79 | Industrial Machinery |
| NFPA 496 | Standard for Purged and Pressurized Enclosures for Electrical Equipment |
| NFPA 1983 | Standard on Life Safety Rope and Equipment for Emergency Services |
| NSF 50A | Equipment for Swimming Pools, Spas, Hot Tubs and other Recreational Water Facilities |
| NSF/ANSI 14 | Plastics Piping System Components and Related Materials |
| NSF SE 1495 | SE - ABS & PVC Residential Floor Drains |
| UL 1 | Flexible Metal Conduit |
| UL 4 | Armored Cable |
| UL 5 | Surface Metal Raceways and Fittings |
| UL 5A | Nonmetallic Surface Raceways and Fittings |
| UL 5B | Strut-Type Channel Raceways and Fittings |
| UL 6 | Rigid Metal Conduit |
| UL 6A | Electrical Rigid Metal Conduit - Aluminum, Red Brass and Stainless Steel |
| UL 13 | Power-Limited Circuit Cables |
| UL 17 | Vent or Chimney Connector Dampers for Oil-Fired appliances |
| UL 20 | General-Use Snap Switches |
| UL 21 | Standard for LP-Gas Hose |
| UL 22 | Electric Amusement Machines |
| UL 44 | Rubber-Insulated Wires and Cables |
| UL No. 45 | Portable Electric Tools |
| UL 48 | Electric Signs |
| UL Subject 48A | Outline of Investigation For Neon Signs for use in Dwellings (Residential) |
| UL 50 | Electrical Cabinets and Boxes |
| UL 50E | Enclosures for Electrical Equipment, Environmental Considerations |
| UL 51 | Power-Operated Pumps for Anhydrous Ammonia and LP-Gas |
| UL 62 | Flexible Cord and Fixture Wire |

| UL 65 | Electric Wired Cabinets |
|---------|---|
| UL 67 | Electric Panelboards |
| UL 69 | Electric Fence Controllers |
| UL 73 | Electric-Motor-Operated Appliances |
| UL 79 | Power-Operated Pumps for Petroleum Product Dispensing Systems |
| UL 82 | Electric Gardening Appliances |
| UL 83 | Thermoplastic-Insulated Wires and Cables |
| UL 87 | Power-Operated Dispensing Devices for Petroleum Products |
| UL 94 | Tests for Flammability of Plastic Materials for Parts in Devices and Appliances |
| UL 96 | Lightning Protection Components |
| UL 98 | Enclosed and Dead-Front Switches |
| UL 104 | Elevator Door Locking Devices |
| UL 114 | Office Appliances and Business Equipment |
| UL 119 | Adaptors, Fittings and Couplings for Anhydrous Ammonia and Fuel Gases |
| UL 122 | Electric Photographic Equipment |
| UL 123 | Oxy-Fuel Gas Torches |
| UL 125 | Valves for Anhydrous Ammonia and LP-Gas (Other Than Safety Relief) |
| UL 130 | Electric Heating Pads |
| UL 132 | Safety Relief Valves for Anhydrous Ammonia and LP-Gas |
| UL 141 | Garment Finishing Appliances |
| UL 144 | Pressure Regulating Valves for LP-Gas |
| UL 147 | LP- and MPS-Gas Torches |
| UL 150 | Antenna Rotators |
| UL 153 | Portable Electric Lamps |
| UL 157 | Gasket and Seals |
| UL 174 | Household Electric Storage-Tank Water Heaters |
| UL 183 | Manufactures Wiring Systems |
| UL 187 | X-Ray Equipment |
| UL 197 | Commercial Electric Cooking Appliances |
| UL 198M | Mine-Duty Fuses |
| UL 201 | Garage Equipment |
| UL 207 | Nonelectrical Refrigerant Containing Components and Accessories |

| UL 209 | Cellular Metal Floor Electrical Raceways and Fittings |
|-----------|--|
| UL 218 | Fire Pump Controllers |
| UL 224 | Extruded Insulating Tubing |
| UL 228 | Door Closers-Holders, and Integral Smoke Detectors |
| UL 231 | Electrical Power Outlets |
| UL 234 | Low Voltage Lighting Fixtures for Use in Recreational Vehicles |
| UL 244A | Solid-State Controls for Appliances |
| UL 248-1 | Low-Voltage Fuses Part 1: General Requirements |
| UL 248-2 | Low-Voltage Fuses Part 2: Class C Fuses |
| UL 248-3 | Low-Voltage Fuses Part 3: Class CA and CB Fuses |
| UL 248-4 | Low-Voltage Fuses Part 4: Class CC Fuses |
| UL 248-5 | Low-Voltage Fuses Part 5: Class G Fuses |
| UL 248-6 | Low-Voltage Fuses Part 6: Class H Non-Renewable Fuses |
| UL 248-7 | Low-Voltage Fuses Part 7: Class H Renewable Fuses |
| UL 248-8 | Low-Voltage Fuses Part 8: Class J Fuses |
| UL 248-9 | Low-Voltage Fuses Part 9: Class K Fuses |
| UL 248-10 | Low-Voltage Fuses Part 10: Class L Fuses |
| UL 248-11 | Low-Voltage Fuses Part 11: Plug Fuses |
| UL 248-12 | Low-Voltage Fuses Part 12: Class R Fuses |
| UL 248-13 | Low-Voltage Fuses Part 13: Semiconductor Fuses |
| UL 248-14 | Low-Voltage Fuses Part 14: Supplemental Fuses |
| UL 248-15 | Low-Voltage Fuses Part 15: Class T Fuses |
| UL 248-16 | Low-Voltage Fuses Part 16: Test Limiters |
| UL 248-19 | Fuses - Part 19: Photovoltaic fuses |
| UL 250 | Household Refrigerators and Freezers |
| UL 252 | Compressed Gas Regulators |
| UL 275 | Automotive Glass - Tube Fuses |
| UL 283 | Air Fresheners and Deodorizers |
| UL 291 | Automated Teller Systems |
| UL 294 | Access Control System Units |
| UL 296 | Oil Burners |
| UL 296A | Waste Oil-Burning Air-Heating Appliances |

| UL 307A | Liquid Fuel-Burning Heating Appliances for Manufactured Homes and Recreational Vehicles |
|---------|---|
| UL 307B | Gas-Burning Heating Appliances for Manufactured Homes and Recreational Vehicles |
| UL 310 | Electrical Quick-Connect Terminals |
| UL 325 | Door, Drapery, Gate, Louver and Window Operators and Systems |
| UL 331 | Strainers for Flammable Fluids and Anhydrous Ammonia |
| UL 343 | Pumps of Oil-Burning Appliances |
| UL 347 | High-Voltage Industrial Control Equipment |
| UL 347A | High Voltage Power Conversion Equipment |
| UL 353 | Limit Controls |
| UL 355 | Electric Cord Reels |
| UL 360 | Liquid Tight Flexible Steel Conduit |
| UL 363 | Knife Switches |
| UL 365 | Police Station Connected Burglar Alarm Units and Systems |
| UL 372 | Primary Safety Controls for Gas- and Oil-Fired Appliances |
| UL 378 | Draft Equipment |
| UL 379 | Power Units for Fountain, Swimming Pool, and Spa Luminaires |
| UL 391 | Solid-Fuel and Combination-Fuel Control and Supplementary Furnaces |
| UL 399 | Drinking-Water Coolers |
| UL 412 | Refrigeration Unit Coolers |
| UL 414 | Electrical Meter Sockets |
| UL 416 | Refrigerated Medical Equipment |
| UL 427 | Refrigerating Units |
| UL 429 | Electrically Operated Valves |
| UL 430 | Electric Waste Disposers |
| UL 441 | Gas Vents |
| UL 444 | Communications Cables |
| UL 448 | Pumps for Fire Protection Service |
| UL 452 | Antenna Discharge Units |
| UL 458 | Power Converters and Power-Converter Systems |
| UL 464 | Audible Signal Appliances |
| UL 466 | Electric Scales |
| UL 467 | Electrical Grounding and Bonding Equipment |
| | |

| UL 469 | Musical Instruments and Accessories |
|--------------|---|
| UL 471 | Commercial Refrigerators and Freezers |
| UL 474 | Dehumidifiers |
| UL 478 | Information Processing and Business Equipment |
| UL 482 | Portable Sun/Heat Lamps |
| UL 484 | Room Air Conditioners |
| UL 486A | Wire Connectors and Soldering Lugs For Use With Copper Conductors |
| UL 486A-486B | Wire Connectors |
| UL 486B | Wire Connectors For Use With Aluminum Conductors |
| UL 486C | Splicing Wire Connectors |
| UL 486D | Insulated Wire Connectors for Use With Underground Conductors |
| UL 486E | Equipment Wiring Terminals for Use With Aluminum and/or Copper Conductors |
| UL 486F | Bare and Covered Ferrules |
| UL 489 | Molded-Case Circuit Breakers and Circuit-Breaker Enclosures |
| UL 489B | Molded-Case Circuit Breakers, Molded-Case Switches, and Circuit-Breaker Enclosures for Use with Photovoltaic (PV) Systems |
| UL 493 | Thermoplastic-Insulated Underground Feeder and Branch-Circuit Cables |
| UL 495 | Power-Operated Dispensing Devices for LP-Gas |
| UL 496 | Edison-Base Lampholders |
| UL 497 | Protectors for Communication Circuits |
| UL 497A | Secondary Protectors for Communication Circuits |
| UL 497B | Protectors for Data Communication and Fire Alarm Circuits |
| UL 497C | Protectors for Coaxial Communications Circuits |
| UL 498 | Attachment Plugs and Receptacles |
| UL 498A | Current Taps and Adapters |
| UL 499 | Electric Heating Appliances |
| UL 506 | Specialty Transformers |
| UL 507 | Electric Fans |
| UL 508 | Electric Industrial Control Equipment |
| UL 508A | Industrial Control Panels |
| UL 508C | Power Conversion Equipment |
| UL 508C | Power Conversion Equipment |
| UL 510 | Insulating Tape |

| UL 512 | Fuseholders |
|---------|---|
| UL 514A | Metallic Outlet Boxes, Electrical |
| UL 514B | Fittings for Conduit and Outlet Boxes |
| UL 514C | Nonmetallic Outlet Boxes, Flush-Device Boxes and Covers |
| UL 514D | Cover Plates for Flush-Mounted Wiring Devices |
| UL 515 | Electrical Resistance Heat Tracing for Commercial and Industrial Applications |
| UL 536 | Flexible Metallic Hose |
| UL 541 | Refrigerated Vending Machines |
| UL 542 | Lampholders, Starters, and Starter Holders for Fluorescent Lamps |
| UL 544 | Electric Medical and Dental Equipment |
| UL 551 | Transformer-Type Arc-Welding Machines |
| UL 560 | Electric Home-Laundry Equipment |
| UL 561 | Floor Finishing Machines |
| UL 563 | Ice Makers |
| UL 567 | Pipe Connectors for Flammable and Combustible Liquids and LP-Gas |
| UL 569 | Pigtails and Flexible Hoses |
| UL 574 | Electric Oil Heater |
| UL 583 | UL Standard for Safety Electric-Battery-Powered Industrial Trucks - Tenth Edition; Reprint with Revisions Through and Including March 24, 2014 |
| UL 588 | Christmas-Tree and Decorative-Lighting Outfits |
| UL 603 | Power Supplies for Use With Burglar-Alarm Systems |
| UL 609 | Local Burglar-Alarm Units and Systems |
| UL 621 | Ice Cream Makers |
| UL 632 | Electrically Actuated Transmitters |
| UL 634 | Connectors and Switches for Use with Burglar-Alarm Systems |
| UL 636 | Holdup Alarm Units and Systems |
| UL 639 | Intrusion-Detection Units |
| UL 647 | Unvented Kerosene-Fired Room Heaters and Portable Heaters |
| UL 651 | Schedule 40 and 80 Rigid PVC Conduit |
| UL 651A | Type EB and A Rigid PVC Conduit and HDPE Conduit |
| UL 651B | Continuous Length High Density Polyethylene Conduit |
| UL 664 | Commercial (Class IV) Electric Dry-Cleaning Machines |
| UL 674 | Electric Motors and Generators for Use in Hazardous (Classified) Locations |

| UL 676 | Underwater Lighting Fixtures |
|-------------|---|
| UL 680 | Emergency Vault Ventilators and Vault Ventilating Parts |
| UL 696 | Electric Toys |
| UL 697 | Toy Transformers |
| UL 698 | Industrial Control Equipment for Use in Hazardous (Classified) Locations |
| UL 698A | Industrial Control Panels Relating to Hazardous (Classified) Locations |
| UL 705 | Power Ventilators |
| UL 710 | Grease Extractors for Exhaust Ducts |
| UL 719 | Nonmetallic Sheathed Cables |
| UL 726 | Oil-Fired Boiler Assemblies |
| UL 727 | Oil-Fired Central Furnaces |
| UL 729 | Oil-Fired Floor Furnaces |
| UL 730 | Oil-Fired Wall Furnaces |
| UL 731 | Oil-Fired Unit Heaters |
| UL 732 | Oil-Fired Water Heaters |
| UL 733 | Oil-Fired Air Heaters and Direct-Fired Heaters |
| UL 745-1 | Portable Electric Tools |
| UL 745-2 | General Requirements For Safety of Portable Electric Tools: Part 2 AND All Associated Series Standards For Portable Electric Tools to be Used in Conjunction With C22.2 No 745-1 to Form a Complete Standard For a Particular Product |
| UL 745-2-1 | Particular Requirements of Drills |
| UL 745-2-2 | Particular Requirements for Screwdrivers and Impact Wrenches |
| UL 745-2-3 | Particular Requirements for Grinders, Polishers, and Disk-Type Sanders |
| UL 745-2-4 | Particular Requirements for Sanders |
| UL 745-2-5 | Particular Requirements for Circular Saws and Circular Knives |
| UL 745-2-6 | Particular Requirements for Hammers |
| UL 745-2-8 | Particular Requirements for Shears and Nibblers |
| UL 745-2-9 | Particular Requirements for Tappers |
| UL 745-2-11 | Particular Requirements for Reciprocating Saws |
| UL 745-2-12 | Particular Requirements for Concrete Vibrators |
| UL 745-2-14 | Particular Requirements for Planers |
| UL 745-2-17 | Particular Requirements for Routers and Trimmers |
| UL 745-2-30 | Particular Requirements for Staplers |

| UL 745-2-31 | Particular Requirements for Diamond Core Drills |
|-------------|---|
| UL 745-2-32 | Particular Requirements for Magnetic Drill Presses |
| UL 745-2-33 | Particular Requirements for Portable Bandsaws |
| UL 745-2-34 | Particular Requirements for Strapping Tools |
| UL 745-2-35 | Particular Requirements for Drain Cleaners |
| UL 745-2-36 | Particular Requirements for Hand Motor Tools |
| UL 745-2-37 | Particular Requirements for Plate Jointers |
| UL 745-3 | General Requirements For Safety of Portable Battery-Operated Tools: Part 3 |
| UL 745-4 | General Requirements For Safety of Portable Battery-Operated Tools: Part 4 AND All Associated Series Standards For Portable Battery-Operated Tools to be Used in Conjunction With C22.2 No 745-3 to Form a Complete Standard For a Particular Product |
| UL 746A | Polymeric Materials - Short Term Property Evaluations |
| UL 746B | Polymeric Materials - Long Term Property Evaluations |
| UL 746C | Polymeric Materials - Use in Electrical Equipment Evaluations |
| UL 746E | Polymeric Materials - Industrial Laminates, Filament Wound Tubing, Vulcanized Fibre and Materials Used in Printed Wiring Boards |
| UL 749 | Household Dishwashers |
| UL 751 | Vending Machines |
| UL 756 | Coin and Currency Changers and Actuators |
| UL 763 | Motor-Operated Commercial Food Preparing Machines |
| UL 773 | Plug-In Locking-Type Photocontrols for Use With Area Lighting |
| UL 773A | Nonindustrial Photoelectric Switches for Lighting Control |
| UL 775 | Graphic Arts Equipment |
| UL 778 | Motor-Operated Water Pumps |
| UL 781 | Portable Electric Lighting Units for Use in Hazardous (Classified) Locations |
| UL 783 | Electric Flashlights and Lanterns for Use in Hazardous Locations, Class I, Groups C and D |
| UL 795 | Commercial-Industrial Gas-Heating Equipment |
| UL 796 | Printed-Wiring Boards |
| UL 797 | Electrical Metallic Tubing |
| UL 797A | Electrical Metallic Tubing - Aluminum |
| UL 810 | Capacitors |
| UL 810A | UL Standard for Safety Electrochemical Capacitors - First Edition; Reprint with Revisions Through and Including November 01, 2012 |
| | |

| UL 813 | Commercial Audio Equipment |
|---------|--|
| UL 814 | Gas-Tube-Sign and Ignition Cable |
| UL 817 | Cord Sets and Power-Supply Cords |
| UL 823 | Electric Heaters for Use in Hazardous (Classified) Locations |
| UL 826 | Household Electric Clocks |
| UL 834 | Heating, Water Supply, and Power Boilers Electric |
| UL 842 | Valves for Flammable Fluids |
| UL 844 | Electric Lighting Fixtures for Use in Hazardous (Classified) Locations |
| UL 845 | Electric Motor Control Centers |
| UL 854 | Service Entrance Cable |
| UL 858 | Household Electric Ranges |
| UL 858A | Safety-Related Solid-State Controls for Electric Ranges |
| UL 864 | Service Entrance Cable |
| UL 857 | Electric Busways and Associated Fittings |
| UL 858 | Household Electric Ranges |
| UL 858A | Safety-Related Solid-State Controls for Electric Ranges |
| UL 859 | Personal Grooming Appliance |
| UL 863 | Electric Time-Indicating and -Recording Appliances |
| UL 867 | Electrostatic Air Cleaners |
| UL 869 | Service Equipment |
| UL 869A | Reference Standard for Service Equipment |
| UL 870 | Wireways, Auxiliary Gutters, and Associated Fittings |
| UL 873 | Electrical Temperature-Indicating and -Regulating Equipment |
| UL 875 | Electric Dry Bath Heaters |
| UL 877 | Circuit Breakers and Circuit-Breaker Enclosure for Use in Hazardous (Classified) Locations |
| UL 879 | Electrode Receptacles for Gas-Tube Signs |
| UL 879A | Electrode Receptacles For Gas Tube Signs |
| UL 884 | Underfloor Electrical Raceways and Fittings |
| UL 886 | Electrical Outlet Boxes and Fittings for Use in Hazardous (Classified) Locations |
| UL 891 | Dead-Front Electrical Switchboards |
| UL 894 | Switches for Use in Hazardous (Classified) Locations |
| UL 896 | Oil-Burning Stoves |
| | |

| UL 913 | Intrinsically Safe Apparatus and Associated Apparatus for Use in Class I, II and III, Division 1, Hazardous (Classified) Locations |
|-----------|--|
| UL 916 | Energy Management Equipment |
| UL 917 | Clock-Operated Switches |
| UL 921 | Commercial Electric Dishwashers |
| UL 923 | Microwave Cooking Appliances |
| UL 924 | Emergency Lighting and Power Equipment |
| UL 935 | Fluorescent Lamp Ballasts |
| UL 943 | Ground-Fault Circuit Interrupters |
| UL 943B | Appliance Leakage-Current Interrupters |
| UL 961 | Hobby and Sports Equipment |
| UL 962 | Standard for Household and Commercial Furnishings |
| UL 962A | Furniture Power Distribution Units |
| UL 963 | Sealing, Wrapping, and Marking Equipment |
| UL 964 | Electrically Heating Bedding |
| UL 969 | Marking and Labeling Systems |
| UL 977 | Fused Power-Circuit Devices |
| UL 979 | Water Treatment Appliances |
| UL 982 | Motor-Operated Food Preparing Machines |
| UL 983 | Surveillance Cameras |
| UL 984 | Hermetic Refrigerant Motor-Compressors |
| UL 987 | Stationary and Fixed Electric Tools |
| UL 991 | Tests for Safety-Related Controls Employing Solid-State Devices |
| UL 998 | Humidifiers |
| UL 1002 | Electrically Operated Valve for Use in Hazardous (Classified) Locations |
| UL 1004 | Electric Motors |
| UL 1004-1 | Rotating Electrical Machines – General Requirements |
| UL 1005 | Electric Flatirons |
| UL 1008 | Automatic-Transfer Switches |
| UL 1010 | Receptacle-Plug Combinations for Use in Hazardous (Classified) Locations |
| UL 1012 | Power Supplies |
| UL 1017 | Electric Vacuum Cleaning Machines and Blower Cleaners |
| UL 1018 | Electric Aquarium Equipment |
| | |

| UL 1022 | Line Isolated Monitors |
|---------|--|
| UL 1026 | Electric Household Cooking and Food-Serving Appliances |
| UL 1028 | Electric Hair-Clipping and -Shaving Appliances |
| UL 1029 | High-Intensity Discharge Lamp Ballasts |
| UL 1030 | Sheathed Heater Elements |
| UL 1037 | Antitheft Alarms and Devices |
| UL 1042 | Electric Baseboard Heating Equipment |
| UL 1047 | Isolated Power Systems Equipment |
| UL 1053 | Ground-Fault Sensing and Relaying Equipment |
| UL 1054 | Special-Use Switches |
| UL 1059 | Terminal Blocks |
| UL 1062 | Unit Substations |
| UL 1063 | Machine-Tool Wires and Cables |
| UL 1066 | Low-Voltage AC and DC power Circuit Breakers Used in Enclosures |
| UL 1069 | Hospital Signaling and Nurse Call Equipment |
| UL 1072 | Medium Voltage Power Cables |
| UL 1076 | Proprietary Burglar-Alarm Units and Systems |
| UL 1077 | Supplementary Protectors for Use in Electrical Equipment |
| UL 1081 | Electric Swimming Pool Pumps, Filters and Chlorinators |
| UL 1082 | Household Electric Coffee Makers and Brewing-Type Appliances |
| UL 1083 | Household Electric Skillets and Frying-Type Appliances |
| UL 1086 | Household Trash Compactors |
| UL 1088 | Temporary Lighting Strings |
| UL 1090 | Electric Snow Movers |
| UL 1097 | Double Insulation Systems for Use in Electrical Equipment |
| UL 1105 | Portable Marine Fuel Tanks |
| UL 1203 | Explosion-Proof and Dust-Ignition-Proof Electrical Equipment for Use in Hazardous (Classifled) Locations |
| UL 1206 | Electric Commercial Clothes-Washing Equipment |
| UL 1230 | Amateur Movie Lights |
| UL 1236 | Electric Battery Chargers |
| UL 1238 | Control Equipment for Use With Flammable Liquid Dispensing Devices |
| UL 1240 | Electric Commercial Clothes-Drying Equipment |

| UL 1241 | Junction Boxes for Swimming Pool Lighting Fixtures |
|----------|--|
| UL 1242 | Intermediate Metal Conduit |
| UL 1244 | Electrical and Electronic Measuring and Testing Equipment |
| UL 1248 | Engine-Generator Assemblies for Use in Recreational Vehicles |
| UL 1261 | Electric Water Heaters for Pools and Tubs |
| UL 1262 | Laboratory Equipment |
| UL 1270 | Radio Receivers, Audio Systems and Accessories |
| UL 1277 | Electrical Power and Control Tray Cables With Optional Optical-Fiber Members |
| UL 1278 | Movable and Wall - or Ceiling-Hung Electric Room |
| UL 1283 | Electromagnetic-Interference Filter |
| UL 1286 | Office Furnishings |
| UL 1310 | Direct Plug-In Transformer Units |
| UL 1313 | Nonmetallic Safety Cans for Petroleum Products |
| UL 1323 | Scaffold Hoists |
| UL 1337 | LP-Gas Automotive Accessories |
| UL 1363 | Temporary Power Taps |
| UL 1363A | Outline of investigation for special purpose relocatable power taps |
| UL 1370 | Unvented Alcohol Fuel Burning Decorative Appliances |
| UL 1409 | Low-Voltage Video Products Without Cathode Ray Tubes |
| UL 1410 | Television Receivers and High-Voltage Video Products |
| UL 1411 | Transformers and Motor Transformers for Use In Audio-, Radio-, and Television-Type Appliances |
| UL 1412 | Fusing Resistors and Temperature-Limited Resistors for Radio-, and Television-Type Appliances |
| UL 1413 | High-Voltage Components for Television-Type Appliances |
| UL 1414 | Across-the-Line, Antenna-Coupling, and Line-by-Pass Capacitors for Radio- and Television-Type Appliances |
| UL 1416 | Overcurrent and Overtemperature Protectors for Radio- and Television-Type Appliances |
| UL 1417 | Special Fuses for Radio- and Television-Type Appliances |
| UL 1418 | Cathode Ray Tubes |
| UL 1419 | Professional Video and Audio Equipment |
| UL 1424 | Cables for Power-Limited Fire-Protective-Signaling Circuits |
| UL 1425 | Cables for Non-Power-Limited Fire-Alarm Circuits |
| UL 1429 | Pullout Switches |

| UL 1431 | Personal Hygiene and Health Care Appliances |
|---------|---|
| UL 1433 | Control Centers for Changing Message Type Electric Signs |
| UL 1434 | Thermistor-Type Devices |
| UL 1436 | Outlet Circuit Testers and Similar Indicating Devices |
| UL 1437 | Electrical Analog Instruments, Panelboard Types |
| UL 1441 | Coated Electrical Sleeving |
| UL 1446 | Electric Water Bed Heaters |
| UL 1447 | Electric Lawn Mowers |
| UL 1448 | Electric Hedge Trimmers |
| UL 1449 | Transient Voltage Surge Suppressors |
| UL 1450 | Motor-Operated Air Compressors, Vacuum Pumps and Painting Equipment |
| UL 1453 | Electric Booster and Commercial Storage Tank Water Heaters |
| UL 1459 | Telephone Equipment |
| UL 1472 | Solid-State Dimming Controls |
| UL 1482 | Solid-Fuel Room Type Heaters |
| UL 1484 | Residential Gas Detectors |
| UL 1492 | Audio and Video Equipment |
| UL 1555 | Electric Coin-Operated Clothes-Washing Equipment |
| UL 1557 | Electrically Isolated Semiconductor Devices |
| UL 1558 | Metal Enclosed Low-Voltage Power Circuit Breaker Switchgear |
| UL 1559 | Insect-Control Equipment, Electrocution type |
| UL 1561 | Large General Purpose Transformers |
| UL 1562 | Transformers, Distribution, Dry Type - Over 600 Volts |
| UL 1563 | Electric Spas, Equipment Assemblies, and Associated Equipment |
| UL 1564 | Industrial Battery Chargers |
| UL 1565 | Wire Positioning Devices |
| UL 1567 | Receptacles and Switches Intended for Use With Aluminum Wire |
| UL 1569 | Metal-Clad Cables |
| UL 1573 | Stage and Studio Lighting Units |
| UL 1574 | Track Lighting Systems |
| UL 1577 | Optical Isolators |
| UL 1581 | Reference Standard for Electrical Wires, Cables, and Flexible Cords |
| | |

| UL 1594 | Sewing and Cutting Machines |
|----------|--|
| UL 1598 | Luminaires |
| UL 1598B | Supplemental Requirements for Luminaire Reflector Kits for Installation on Previously Installed Fluorescent Luminaires |
| UL 1598C | Light –Emitting Diode (LED) Retrofit Luminaire Conversion Kits |
| UL 1604 | Electrical Equipment for Use in Class I and II, Division 2 and Class III Hazardous (Classified) Locations |
| UL 1610 | Central-Station Burglar-Alarm Units |
| UL 1624 | Light Industrial Tools |
| UL 1635 | Digital Burglar Alarm Communicator System Units |
| UL 1637 | Home Health Care Signaling Equipment |
| UL 1638 | Visual Signaling Appliances |
| UL 1640 | Portable Power Distribution Units |
| UI 1642 | UL Standard for Safety Lithium Batteries - Fifth Edition; Reprint with revisions through and including July 30, 2013 |
| UL 1647 | Motor-Operated Massage and Exercise Machines |
| UL 1651 | Optical Fiber Cable |
| UL 1653 | Electrical Nonmetallic Tubing |
| UL 1660 | Liquid-Tight Flexible Nonmetallic Conduit |
| UL 1662 | Electric Chain Saws |
| UL 1664 | Immersion-Detection Circuit-Interrupters |
| UL 1666 | Standard Test for Flame Propagation Height of Electrical and Optical-Fiber Cables Installed Vertically in Shafts |
| UL 1667 | Tall Institutional Carts For Use With Audio-, Video- and Television-Type Equipment |
| UL 1673 | Electric Space Heating Cables |
| UL 1676 | Discharge Path Resistors |
| UL 1681 | Wiring Device Configurations |
| UL 1682 | Plugs, Receptacles, and Cable Connectors, of the Pin and Sleeve Type |
| UL 1684 | Reinforced Thermosetting Resin Conduit |
| UL 1690 | Data-Processing Cable |
| UL 1696 | Mechanical Protection Tubing (MPT) and Fittings |
| UL 1699 | Arc-Fault Circuit-Interrupters |
| UL 1699B | Outline of Investigation for Photovoltaic (PV) DC Arc-Fault Circuit Protection |
| UL 1703 | Flat Plate Photo Voltaic Modules and Panels |

| UL 1711 | Amplifiers for Fire Protective Signaling Systems |
|---------|--|
| UL 1727 | Commercial Electric Personal Grooming Appliances |
| UL 1740 | Industrial Robots and Robotic Equipment |
| UL 1741 | Static Inverters and Charge Controllers for use in Photovoltaic Power Systems |
| UL 1773 | Termination Boxes |
| UL 1776 | High-Pressure Cleaning Machines |
| UL 1778 | Uninterruptible Power Supply Equipment |
| UL 1786 | Nightlights |
| UL 1795 | Hydromassage Bathtubs |
| UL 1812 | Ducted Heat Recovery Ventilators |
| UL 1815 | Nonducted Heat Recovery Ventilators |
| UL 1838 | Low Voltage Landscape Lighting Systems |
| UL 1863 | Communication Circuit Accessories |
| UL 1876 | Isolating Signal and Feedback Transformers for Use in Electronic Equipment |
| UL 1889 | Commercial Filters for Cooking Oil |
| UL 1917 | Solid-State Fan Speed Controls |
| UL 1950 | Safety of Information Technology Equipment Including Electrical Business Equipment |
| UL 1951 | Electric Plumbing Accessories |
| UL 1963 | Refrigerant Recovery/Recycling Equipment |
| UL 1973 | UL Standard for Safety Batteries for Use in Light Electric Rail (LER) Applications and Stationary Applications - First Edition; Reprint with Revisions Through and including July 03, 2013 |
| UL 1977 | Component Connectors for Use in Data, Signal, Control and Power Applications |
| UL 1989 | UL Standard for Safety Standby Batteries - Fifth Edition |
| UL 1993 | Self-Ballasted Lamps and Lamp Adapters |
| UL 1994 | Low-Level Path Marking and Lighting Systems |
| UL 1995 | Heating and Cooling Equipment |
| UL 1996 | Duct Heaters |
| UL 1998 | Software in Programmable Components |
| UL 2017 | General Purposes Signaling Devices and Systems |
| UL 2021 | Fixed and Location-Dedicated Electric Room Heaters |
| UL 2024 | Optical Fiber Cable Raceway |
| UL 2034 | Single and Multiple Station Carbon Monoxide Detectors |
| | • |

| UL 2044 | Commercial Closed Circuit Television Equipment |
|------------------------|---|
| UL 2054 | UL Standard for Safety Household and Commercial Batteries - Second Edition; Reprint with revisions through and including September 14, 2011 |
| UL 2089 ⁽²⁾ | Vehicle Battery Adapters |
| UL 2097 | Reference Standard for Double Insulation Systems for Use in Electronic Equipment |
| UL 2108 | Low Voltage Lighting Systems |
| UL 2111 | Overheating Protection for Motors |
| UL 2157 | Electric Clothes Washing Machines and Extractors |
| UL 2158 | Electric Clothes Dryers |
| UL 2161 | Neon Transformers and Power Supplies |
| UL 2200 | Stationary Engine Generator Assemblies |
| UL 2202 | Electric Vehicle (EV) Charging System Equipment |
| UL 2225 | Cables and Cable-Fittings For Use In Hazardous (Classified) Locations |
| UL 2231-1 | Personnel Protection Systems for Electric Vehicle (EV) Supply Circuits; Part 1 : General Requirements |
| UL 2231-2 | Personnel Protection Systems for Electric Vehicle (EV) Supply Circuits; Part 2: Particular Requirements for Protection Devices for use in Charging Systems |
| UL 2238 | Cable Assemblies and Fittings for Industrial Control and Signal Distribution |
| UL 2239 | Safety Hardware for the Support of Conduit, Tubing, and Cable |
| UL 2250 | Instrumentation Tray Cable |
| UL 2251 | Plugs, Receptacles and Couplers for Electric Vehicles |
| UL 2267 | Fuel Cell Power Systems for Installation in Industrial Electric Trucks |
| UL 2272 | Outline of Investigation for Electrical Systems for Self-Balancing Scooters |
| UL 2279 | Electrical Equipment for Use in Class I, Zone 0, 1 and 2 Hazardous (Classified) Locations |
| UL 2388 | Flexible Lighting Products |
| UL 2420 | Belowground Reinforced Thermosetting Resin Conduit (RTRC) and Fittings |
| UL 2438 | Outdoor Seasonal-Use Cord-Connected Wiring Devices |
| UL 2459 | Insulated Multi-Pole Splicing Wire Connectors |
| UL 2523 | Solid Fuel-Fired Hydronic Heating Appliances, Water Heaters and Boilers |
| UL 2515 | Aboveground Reinforced Thermosetting Resin Conduit (RTRC) and Fittings |
| UL 2575 | UL Standard for Safety Lithium Ion Battery Systems for Use in Electric Power Tool and Motor Operated, Heating and Lighting Appliances - First Edition; Reprint with revisions through and including August 17, 2012 |
| UL 2580 | UL Standard for Safety Batteries for Use In Electric Vehicles - First Edition |
| | |

| UL 2594 | Standard for Electric Vehicle Supply Equipment |
|------------|--|
| UL 2601-1 | Medical Electrical Equipment - Part 1: General Requirements for Safety |
| UL 2682 | Outline of Investigation for Switch-Rated Plugs and Receptacles |
| UL 2703 | Mounting Systems, Mounting Devices, Clamping/Retention Devices, and Ground Lugs for Use with Flat-Plate Photovoltaic Modules and Panels. |
| UL 2735 | Electric Utility Meters |
| UL 3101-1 | Electrical Equipment for Laboratory Use; Part 1: General Requirements |
| UL 3111-1 | Equipment For Measurement Use; Part I: General Requirements |
| UL 3121-1 | Process Control Equipment |
| UL 3703 | Outline of Investigation for Solar Trackers |
| UL 4248-1 | Fuseholders – General Requirements |
| UL 4248-2 | Fuseholders – Class R |
| UL 4248-4 | Fuseholders – Class CC |
| UL 4248-5 | Fuseholders – Class G |
| UL 4248-6 | Fuseholders – Class H |
| UL 4248-8 | Fuseholders – Class J |
| UL 4248-9 | Fuseholders – Class K |
| UL 4248-11 | Fuseholders – Type C (Edison Base) and Type S (Plug Fuses) |
| UL 4248-12 | Fuseholders – Class R |
| UL 4248-15 | Fuseholders – Class T |
| UL 4248-19 | Fuseholders - Photovoltaic |
| UL 5085-1 | Low Voltage TransformersPart 1: General Requirements |
| UL 5085-2 | Low Voltage Transformers - Part 2: General Purpose Transformers |
| UL 5085-3 | Low Voltage TransformersPart 3: Class 2 and Class 3 Transformers |
| UL 6500 | Audio/Visual and Musical Instrument Apparatus for Household, Commercial, and Similar General Use |
| UL 6703 | Connectors for Use in Photovoltaic Systems |
| UL 6703A | Multi-pole Connectors for Use in Photovoltaic Systems |
| UL 8750 | Light Emitting Diode (LED) Equipment for Use in Lighting Products |
| UL 60065 | Audio, Video and Similar Electronic Apparatus - Safety Requirements |
| UL 60079-0 | Explosive Atmospheres - Part 0: Equipment - General Requirements |
| UL 60079-1 | Explosive Atmospheres - Part 1: Equipment Protection by Flameproof Enclosures "d" |
| UL 60079-2 | Explosive Atmospheres - Part 2: Equipment Protection by Pressurized Enclosure "p" |
| | |

| UL 60079-5 | Explosive Atmospheres - Part 5: Equipment protection by powder filling "q" |
|----------------------|---|
| UL 60079-6 | Explosive Atmospheres - Part 6: Equipment Protection by Liquid Immersion "o" |
| UL 60079-7 | Explosive Atmospheres - Part 7: Equipment Protection by Increased Safety "e" |
| UL 60079-11 | Explosive Atmospheres - Part 11: Equipment Protection by Intrinsic Safety "i" |
| UL 60079-15 | Explosive Atmospheres - Part 15: Equipment Protection by Type of Protection "n" |
| UL 60079-18 | Explosive Atmospheres - Part 18: Equipment Protection by Encapsulation "m" |
| UL 60079-25 | Explosive Atmospheres - Part 25: Intrinsically Safe Electrical Systems |
| UL 60079-31 | Explosive Atmospheres - Part 31: Equipment Dust Ignition Protection by Enclosure "t" |
| UL 60320-1 | Appliance Couplers For Household And Similar General Purposes – Part 1: General Requirements. |
| UL 60335-1 | Safety of Household and Similar Electrical Appliances, Part 1; General Requirements |
| UL 60335-2-3 | Household and Similar Electrical Appliances, Part 2: Particular Requirements for Electric Irons |
| UL 60335-2-24 | Safety of Household and Similar Electrical Appliances - Part 2: Particular Requirements for Refrigerating Appliances, Ice-Cream Appliances and Ice-Makers |
| UL 60335-2-34 | Household and Similar Electrical Appliances, Part 2; Particular Requirements for Motor-Compressors |
| UL 60335-2-40 | Safety of Household and Similar Electrical Appliances - Part 2-40: Particular Requirements for Electrical Heat Pumps, Air-Conditioners and Dehumidifiers |
| UL 60384-14 | Fixed Capacitors for Use in Electronic Equipment-Part 14: Sectional Specification: Fixed Capacitors for Electromagnetic Interference Suppression and Connection to the Supply Mains |
| UL Standard No 60529 | Degrees of Protection Provided by Enclosures (IP Codes)* |
| UL 60601-1 | Medical Electrical Equipment, Part 1: General Requirements for Safety |
| AAMI/ANSI 80601-2-30 | Medical Electrical Equipment - Part 2-30: Particular requirements for the basic safety and essential performance of automated noninvasive sphygmomanometers |
| UL 60691 | Thermal-LinksRequirements and Application Guide |
| UL 60730-1 | Automatic Electrical Controls for Household and Similar Use- Part 1: General Requirements |
| UL 60730-1A | Automatic Electrical Controls for Household and Similar Use; Part 1: General Requirements |
| UL 60730-2-2 | Particular Requirements For Thermal Motor Protectors |
| UL 60730-2-3 | Automatic Electrical Controls for Household and Similar Use; Part 2: Particular Requirements for Thermal Protectors for Ballasts for Tubular Fluorescent Lamps |
| UL 60730-2-4 | Automatic Electrical Controls for Household and Similar Use, Part 2: Particular Requirements for Thermal Motor Protectors for Motor-Compressors of Hermetic and Semi-Hermetic Type |
| UL 60730-2-6 | Automatic Electrical Controls for Household and Similar Use; Part 2: Particular |
| 1 | 1 |

| | Requirements for Automatic Electrical Pressure Sensing Controls Including Mechanical Requirements |
|----------------|---|
| UL 60730-2-7 | Automatic Electrical Controls for Household and Similar Use; Part 2: Particular Requirements for Timers and Time Switches |
| UL 60730-2-9 | Automatic Electrical Controls for Household and Similar Use; Part 2: Particular Requirements for Temperature Sensing Controls |
| UL60730-2-10 | Particular requirements for motor-starting relays |
| UL 60730-2-10A | Automatic Electrical Controls for Household and Similar Use; Part 2: Particular Requirements for Motor Starting Relays |
| UL 60730-2-11 | Particular Requirements For Energy Regulators |
| UL 60730-2-11A | Automatic Electrical Controls for Household and Similar Use; Part 2: Particular Requirements for Energy Regulators |
| UL 60730-2-12A | Automatic Electrical Controls for Household and Similar Use; Part 2: Particular Requirements for Electrically Operated Door Locks |
| UL 60730-2-13A | Automatic Electrical Controls for Household and Similar Use; Part 2: Particular Requirements for Humidity Sensing Controls |
| UL 60730-2-14 | Automatic Electrical Controls for Household and Similar Use; Part 2: Particular Requirements for Electric Actuators |
| UL 60730-2-16A | Automatic Electrical Controls for Household and Similar Use; Part 2: Particular Requirements for Automatic Electrical Water Level Controls |
| UL 60745-1 | Hand-Held Motor-Operated Electric ToolsSafetyPart 1: General Requirements |
| UL 60745-2 | Hand-Held Motor Operated Electric Tools-Safety - Part 2 and All Associated Series Standards - Particular Requirements for Portable Electric Tools be Used in Conjunction With the Third Edition of UL 60745-1 |
| UL 60745-2-13 | Hand-Held Motor Operated Electric Tools-Safety - Part 2-13 Annex 101.DVB: Particular requirements for Battery-operated pruning saws |
| UL 60745-2-15 | Hand-Held Motor Operated Electric Tools-Safety - Part 2-15: Particular requirements for hedge trimmers |
| UL 60947-1 | Low-Voltage Switchgear and ControlgearPart 1: General Rules |
| UL 60947-7-1 | Low-Voltage Switchgear and ControlgearPart 7-1: Ancillary EquipmentTerminal Blocks for Copper Conductors |
| UL 60947-7-2 | Low-Voltage Switchgear and ControlgearPart 7-2: Ancillary EquipmentProtective Conductor Terminal Blocks for Copper Conductors |
| UL 60947-7-3 | Low-Voltage Switchgear and ControlgearPart 7-3: Ancillary EquipmentSafety Requirements for Fuse Terminal Blocks |
| UL 60950 | Information Technology Equipment |
| UL 60950-1 | Information Technology Equipment – Safety – Part 1 General Requirements |
| UL 60950-21 | Safety of Information Technology Equipment – Part 21: Remote Power Feeding |
| UL 60950-22 | Information Technology Equipment - Safety - Part 22: Equipment to be Installed |

| | Outdoors |
|-----------------|---|
| UL 60950-23 | Information Technology Equipment - Safety - Part 23: Large Data Storage Equipment |
| UL 61010-1 | Electrical Equipment For Measurement, Control, and Laboratory Use; Part 1: General Requirements - Second Edition |
| UL 61010A-1 | Electrical Equipment for Laboratory Use; Part 1: General Requirements |
| UL 61010A-2-010 | Electrical Equipment for Laboratory Use; Part 2: Particular Requirements for Laboratory Equipment for the Heating of Materials. |
| UL 61010A-2-020 | Electrical Equipment for Laboratory Use; Part 2: Particular Requirements for Laboratory Centrifuges |
| UL 61010A-2-041 | Electrical Equipment for Laboratory Use; Part 2: Particular Requirements for Autoclaves Using Steam for the Treatment of Medical Materials and for Laboratory Processes. |
| UL 61010A-2-042 | Electrical Equipment for Laboratory Use; Part 2: Particular Requirements for Autoclaves and Sterilizers Using Toxic Gas for the Treatment of Medical Materials, and for Laboratory Processes. |
| UL 61010A-2-051 | Electrical Equipment for Laboratory Use; Part 2: Particular Requirements for Laboratory Equipment for Mixing and Stirring. |
| UL 61010A-2-061 | Electrical Equipment for Laboratory Use; Part 2: Particular Requirements for Laboratory Atomic Spectrometers with Thermal Atomization and Ionization. |
| UL 61010B-1 | Electrical Measuring and Test Equipment; Part 1: General Requirements |
| UL 61010B-2-031 | Electrical Equipment for Measurement, Control, and Laboratory Use; Part 2: Particular Requirements for Hand-Held Probe Assemblies for Electrical Measurement and Test. |
| UL 61010C-1 | Process Control Equipment |
| UL 61010-2-201 | Safety Requirements for Electrical Equipment for Measurement, Control, and Laboratory Use - Part 2-201: Particular requirements for control equipment |
| UL 61058-1 | Switch for Appliances |
| UL 61800-5-1 | Adjustable Speed Electrical Power Drive Systems |
| UL 61965 | Mechanical Safety of Cathode Ray Tubes |
| UL No. 62108 | Concentrator photovoltaic (CPV) modules and assemblies – Design qualification and type approval. |
| UL 62275 | Cable Management Systems – Cable Ties For Electrical Installations |
| UL 62368-1 | Audio/video Information and communication technology equipment – Part 1: Safety Requirements |