

## Stute Violation Details CY 2021 - 2025TD

WAC Chapter Section	WAC Cited	WAC Text	2021	2022	2023	2024	2025	Totals
			Vios	Vios	Vios	Vios	Vios	
880-200	296-880-20005(1)	WAC 296-880-20005 Fall protection required at four feet or more. (1) Walking/working surfaces with unprotected sides or edges. Except as required	23	42	62	49	15	191
	296-880-20005(1)(a)(ii)	WAC 296-880-20005 Fall protection required at four feet or more. (1) Walking/working surfaces with unprotected sides or edges. Except as required		1	1	2		4
	296-880-20005(1)(a)(iii)	WAC 296-880-20005 Fall protection required at four feet or more. (1) Walking/working surfaces with unprotected sides or edges. Except as required				1		1
	296-880-20005(2)(a)	WAC 296-880-20005 Fall protection required at four feet or more. (2) Guarding of ramps, runways, and inclined walkways. (a) Ramps, runways, and			2			2
	296-880-20005(3)(a)	WAC 296-880-20005 Fall protection required at four feet or more. (3) Holes. (a) The employer must protect employees from falling into or through		1	8	1	1	11
	296-880-20005(3)(b)	WAC 296-880-20005 Fall protection required at four feet or more. (3) Holes. (b) The employer must guard skylight holes and skylights. (i) Unprote	2	1	5	1	1	10
	296-880-20005(4)	WAC 296-880-20005 Fall protection required at four feet or more. (4) Guarding of openings. The employer must ensure that each employee working	3	7	18	16	3	47
	296-880-20005(6)	WAC 296-880-20005 Fall protection required at four feet or more. (6) Fall protection on steep pitched roofs. Regardless of the work activity, the emp	21	20	38	35	23	137
	296-880-20005(7)	WAC 296-880-20005 Fall protection required at four feet or more. (7) Fall protection on low pitched roofs. The employer must ensure that employee	5	6	17	12	3	43
	296-880-20005(9)	WAC 296-880-20005 Fall protection required at four feet or more. The employer must ensure that fall arrest systems, fall restraint systems, or positi			2			2
<b>Total</b>			<b>54</b>	<b>78</b>	<b>153</b>	<b>117</b>	<b>46</b>	<b>448</b>
880-100	296-880-10005(1)	WAC 296-880-10005 General requirements. (1) The employer must ensure that all surfaces on which employees will be working or walking on are str				2		2
	296-880-10010(2)	WAC 296-880-10010 Fall protection required regardless of height. (2) The employer must guard holes into which an employee can trip, step into, or s		4	1	1		6
	296-880-10010(3)	WAC 296-880-10010 Fall protection required regardless of height. (3) Regardless of height the employer must protect employees from falling into or	7	5	8	8	3	31
	296-880-10015(1)	WAC 296-880-10015 Training. (1) Provide fall protection training for employees exposed to fall hazards. The employer must provide training for each				1		1
	296-880-10015(2)	WAC 296-880-10015 Training. (2) Each affected employee must be trained by a competent person to know at least the following: (a) The nature of	1					1
	296-880-10020(1)	WAC 296-880-10020 Fall protection work plan required at ten feet or more. (1) The employer must develop and implement a written fall protection	20	25	70	56	22	193
	296-880-10020(2)	WAC 296-880-10020 Fall protection work plan required at ten feet or more. (2) The fall protection work plan must: (a) Identify all fall hazards in the	3	7	25	16	9	60
	296-880-10020(3)	WAC 296-880-10020 Fall protection work plan required at ten feet or more. (3) Prior to permitting employees into areas where fall hazards of ten fee				2		2
<b>Total</b>			<b>31</b>	<b>41</b>	<b>104</b>	<b>86</b>	<b>34</b>	<b>296</b>
880-300	296-880-30005(1)	WAC 296-880-30005 Construction work. This section applies to work activities under the scope of chapter 296-155 WAC, Safety standards for constr		2	46			48
	296-880-30005(1)(a)	WAC 296-880-30005 Construction work. This section applies to work activities under the scope of chapter 296-155 WAC, Safety standards for constr	21	24	3	31	10	89
	296-880-30005(1)(b)	WAC 296-880-30005 Construction work. This section applies to work activities under the scope of chapter 296-155 WAC, Safety standards for constr	4	4	1	17	7	33
	296-880-30005(1)(c)	WAC 296-880-30005 Construction work. This section applies to work activities under the scope of chapter 296-155 WAC, Safety standards for constr	4	7	3			14
	296-880-30005(2)(a)	WAC 296-880-30005 Construction work. This section applies to work activities under the scope of chapter 296-155 WAC, Safety standards for constr			18	16	5	39
	296-880-30005(2)(b)(ii)(A)	WAC 296-880-30005 Construction work. This section applies to work activities under the scope of chapter 296-155 WAC, Safety standards for constr					1	1
	296-880-30005(2)(b)(ii)(B)	WAC 296-880-30005 Construction work. This section applies to work activities under the scope of chapter 296-155 WAC, Safety standards for constr			1			1
	296-880-30015(2)	WAC 296-880-30015 Elevating work platforms. (2) This subsection applies to vehicle mounted aerial devices. Before elevating the platform, the empl		1	1	2		4
	296-880-30015(4)	WAC 296-880-30015 Elevating work platforms. (4) This subsection applies to boom supported elevating work platforms. Before elevating the platfor		2		6	1	9
	296-880-30030(1)	WAC 296-880-30030 Scaffolds. This section applies to suspended and supported scaffolds under the scope of chapter 296-874 WAC, Scaffolds. (1) T	5	2	19	7		33
	296-880-30030(2)	WAC 296-880-30030 Scaffolds. This section applies to suspended and supported scaffolds under the scope of chapter 296-874 WAC, Scaffolds. (2) T			4			4
	296-880-30030(3)(b)	WAC 296-880-30030 Scaffolds. This section applies to suspended and supported scaffolds under the scope of chapter 296-874 WAC, Scaffolds. (3) P			3			3
	296-880-30030(5)(b)	WAC 296-880-30030 Scaffolds. This section applies to suspended and supported scaffolds under the scope of chapter 296-874 WAC, Scaffolds. (5) P		1				1
	296-880-30030(6)(a)	WAC 296-880-30030 Scaffolds. This section applies to suspended and supported scaffolds under the scope of chapter 296-874 WAC, Scaffolds. (6) P			1			1
	296-880-30030(9)(b)	WAC 296-880-30030 Scaffolds. This section applies to suspended and supported scaffolds under the scope of chapter 296-874 WAC, Scaffolds. (9) E		2				2
<b>Total</b>			<b>34</b>	<b>45</b>	<b>100</b>	<b>79</b>	<b>24</b>	<b>282</b>
876-400	296-876-40005(1)	WAC 296-876-40005 Designed use. (1) You must use ladders only for their intended purpose. Note: Unless specifically recommended by the manu		1	1	2		4
	296-876-40005(2)	WAC 296-876-40005 Designed use. (2) You must make sure not to overload ladders. Do not exceed either the: (a) Maximum intended load; or (b)				1		1
	296-876-40015(1)	WAC 296-876-40015 Support. (1) You must place the ladder either: (a) With a secure footing on a firm, level support surface; or (b) Secure the lai	2	3	4	4	2	15
	296-876-40015(4)	WAC 296-876-40015 Support. (4) You must place a straight ladder so the side rails are equally supported by the top support, unless the ladder is equ				2		2
	296-876-40020(1)	WAC 296-876-40020 Set-up. (1) You must set up non-self-supporting ladders at a safe angle. The ladder is set at the proper angle when the horizont	2	3	4	2	1	12
	296-876-40025(6)	WAC 296-876-40025 Climbing and descending. (6) You must make sure no employee carries any object or load that could cause the employee to losc	3	1	3	1		8
	296-876-40030(1)	WAC 296-876-40030 Getting on and off ladders at upper levels. (1) You must make sure a ladder used to access an upper level has the side rails exte	11	22	47	39	11	130
	296-876-40030(2)	WAC 296-876-40030 Getting on and off ladders at upper levels. (2) You must do the following if a ladder used to access an upper level is not long en		1	6		1	8

## Stute Violation Details CY 2021 - 2025TD

WAC Chapter Section	WAC Cited	WAC Text	2021	2022	2023	2024	2025	Totals
			Vios	Vios	Vios	Vios	Vios	
	296-876-40040(2)	WAC 296-876-40040 Persons on ladders. (2) You must secure the ladder at the top and bottom when working from it.			1	3		4
	296-876-40045(1)	WAC 296-876-40045 Multisection ladders. (1) You must make sure not to tie or fasten ladder sections together to make longer ladders unless: (a) 1			1			1
	296-876-40050(1)	WAC 296-876-40050 Self-supporting ladders. (1) You must make sure self-supporting ladders are not used as single ladders or in the partially closed	2		12	8	2	24
	296-876-40050(2)	WAC 296-876-40050 Self-supporting ladders. (2) You must make sure stepladders are fully opened with the spreaders locked.			1			1
	296-876-40050(3)	WAC 296-876-40050 Self-supporting ladders. (3) You must make sure not to climb on the rear braces of a self-supporting ladder unless they are desi				1		1
	296-876-40050(4)(a)	WAC 296-876-40050 Self-supporting ladders. (4) You must prohibit standing or stepping on the: (a) Top cap and top step of a step or trestle ladder.	1	4	14	15	3	37
	<b>Total</b>		<b>21</b>	<b>35</b>	<b>94</b>	<b>78</b>	<b>20</b>	<b>248</b>
155-350	296-155-350(1)	WAC 296-155-350 General requirements. (1) Condition of tools. All hand and power tools and similar equipment, whether furnished by the employi				1		1
	296-155-350(2)(a)	WAC 296-155-350 General requirements. (2) Guarding. (a) When power operated tools are designed to accommodate guards, they shall be equip		1				1
	296-155-350(3)	WAC 296-155-350 General requirements. (3) Personal protective equipment. Employees using hand and power tools and exposed to the hazard of	24	20	53	49	16	162
	<b>Total</b>		<b>24</b>	<b>21</b>	<b>53</b>	<b>50</b>	<b>16</b>	<b>164</b>
155-655	296-155-655(10)(a)	WAC 296-155-655 General protection requirements. (10) Protection of employees from loose rock or soil. (a) Adequate protection shall be provided t			1			1
	296-155-655(10)(b)	WAC 296-155-655 General protection requirements. (10) Protection of employees from loose rock or soil. (b) You must protect employees from exi		3	7	7	1	18
	296-155-655(11)(a)	WAC 296-155-655 General protection requirements. (11) Inspections. (a) Daily inspections of excavations, the adjacent areas, and protective syste		4	6	8	3	21
	296-155-655(11)(b)	WAC 296-155-655 General protection requirements. (11) Inspections. (b) Where the competent person finds evidence of a situation that could result		1	2	5	2	10
	296-155-655(12)(a)	WAC 296-155-655 General protection requirements. (12) Fall protection. (a) You must provide walkways where employees or equipment are requi					1	1
	296-155-655(2)(a)	WAC 296-155-655 General protection requirements. (2) Underground installations. (a) The location of utility installations, such as sewer, telephone, f					1	1
	296-155-655(2)(c)	WAC 296-155-655 General protection requirements. (2) Underground installations. (c) When excavation operations approach the location of u				1		1
	296-155-655(3)(b)	WAC 296-155-655 General protection requirements. (3) Access and egress. (b) Means of egress from trench excavations. A stairway, ladder, ramp c		5	9	6	4	24
	296-155-655(8)(b)	WAC 296-155-655 General protection requirements. (8) Protection from hazards associated with water accumulation. (b) If water is controlled or pre					2	2
	296-155-655(9)(c)	WAC 296-155-655 General protection requirements. (9) Stability of adjacent structures. (c) Sidewalks, pavements, and appurtenant structure shall nc			1	1		2
	<b>Total</b>			<b>13</b>	<b>26</b>	<b>28</b>	<b>14</b>	<b>81</b>
874-400	296-874-40006(2)	WAC 296-874-40006 Make sure supported scaffolds are properly supported. (2) You must make sure supported scaffold poles, legs, posts, frames, a		1		5	1	7
	296-874-40006(5)	WAC 296-874-40006 Make sure supported scaffolds are properly supported. (5) You must make sure mobile scaffolds meet these additional require			2		1	3
	296-874-40008(1)	WAC 296-874-40008 Provide safe access for persons erecting or dismantling supported scaffolds. (1) You must provide a safe means of access for pe			1			1
	296-874-40018(2)	WAC 296-874-40018 Meet these requirements when using fabricated frame scaffolds (tubular welded frame scaffolds). (2) You must brace frames ar			1		1	2
	296-874-40026(4)	WAC 296-874-40026 Meet these requirements when using ladder jack scaffolds. (4) You must make sure ladders used to support ladder jacks are: (			1			1
	296-874-40032(1)	WAC 296-874-40032 Meet these requirements when using pump jack scaffolds. (1) You must make sure pump jack brackets, braces, and accessories			1			1
	296-874-40032(3)	WAC 296-874-40032 Meet these requirements when using pump jack scaffolds. (3) You must secure poles to the structure using rigid triangular brac	8	6	19	9	3	45
	296-874-40038(1)	WAC 296-874-40038 Meet these requirements when using step, platform and trestle ladder scaffolds. (1) You must make sure ladders used to supp				4		4
	296-874-40038(3)	WAC 296-874-40038 Meet these requirements when using step, platform and trestle ladder scaffolds. (3) You must make sure scaffold platforms are				2		2
	<b>Total</b>		<b>8</b>	<b>7</b>	<b>25</b>	<b>20</b>	<b>6</b>	<b>66</b>
874-200	296-874-20002(1)	WAC 296-874-20002 Make sure scaffolds are properly designed and constructed. (1) You must make sure scaffolds are: (a) Designed by a qualified p	1	1	3	4	1	10
	296-874-20002(2)	WAC 296-874-20002 Make sure scaffolds are properly designed and constructed. (2) You must prohibit the use of shore and lean-to scaffolds.			1			1
	296-874-20004	WAC 296-874-20004 Make sure scaffolds are erected, moved, altered, or dismantled by qualified persons. You must make sure scaffolds are erected,			2		1	3
	296-874-20006(1)(b)	WAC 296-874-20006 Maintain structural integrity when intermixing scaffold components. (1) You must make sure intermixed scaffold components:	3			1		4
	296-874-20008(1)	WAC 296-874-20008 Make sure platforms are properly planked or decked. (1) You must fully plank or deck each platform between the front uprights			4			4
	296-874-20010	WAC 296-874-20010 Make sure platforms meet minimum width requirements. You must make sure scaffold platforms meet the minimum width r	2		2	3		7
	296-874-20012(1)	WAC 296-874-20012 Meet these requirements when using shorter platforms to create a longer platform. (1) You must make sure, when platforms a			1			1
	296-874-20016(1)	WAC 296-874-20016 Stabilize the ends of platforms. (1) You must make sure each end of a platform: (a) Is cleated or restrained by hooks or equiv			3	3		6
	296-874-20016(2)	WAC 296-874-20016 Stabilize the ends of platforms. (2) You must make sure the cantilevered portion of a platform meets at least one of the followi	2		1	1	1	5
	296-874-20018	WAC 296-874-20018 Keep platform sag within acceptable limits. You must make sure a loaded platform does not sag more than one-sixtieth of the			1			1
	296-874-20020(1)	WAC 296-874-20020 Provide safe access to scaffolds. (1) You must provide scaffold platforms more than two feet (0.6 m) above or below a point of a		1	1			2
	296-874-20032	WAC 296-874-20032 Make sure surfaces used to access scaffolds are close enough to use safely. You must make sure a surface used to provide acces			2			2

## Stute Violation Details CY 2021 - 2025TD

WAC Chapter Section	WAC Cited	WAC Text	2021	2022	2023	2024	2025	Totals
			Vios	Vios	Vios	Vios	Vios	
	296-874-20034	WAC 296-874-20034 Inspect scaffolds and scaffold components. You must make sure scaffolds and scaffold components are inspected for visible def	1	2	1		1	5
	296-874-20042(2)(e)	WAC 296-874-20042 Increase employee working level height on scaffolds safely. (2) You must meet all of the following when using stilts on scaffolds:			1			1
	296-874-20046	WAC 296-874-20046 Protect employees from energized power lines. You must make sure scaffolds are erected, moved, altered, or dismantled so t	2	1	1	2		6
	296-874-20066(1)	WAC 296-874-20066 Provide falling object protection. Reference: Hardhats and possibly other personal protective equipment has to be used to prc		1	4	1		6
	296-874-20072(2)	WAC 296-874-20072 Train employees who work on a scaffold. (2) You must include the following subjects in your training: (a) Hazards in the work			1			1
	<b>Total</b>		<b>11</b>	<b>6</b>	<b>29</b>	<b>15</b>	<b>4</b>	<b>65</b>
155-477	296-155-477(1)(c)	WAC 296-155-477 Stairways. (1) General. The following requirements apply to all stairways as indicated: (c) In all buildings or structures two or mo	2		1	1		4
	296-155-477(1)(d)	WAC 296-155-477 Stairways. (1) General. The following requirements apply to all stairways as indicated: (d) Stairways, ramps or ladders shall be pr			1	2		3
	296-155-477(1)(f)	WAC 296-155-477 Stairways. (1) General. The following requirements apply to all stairways as indicated: (f) Wood frame buildings.				1		1
	296-155-477(1)(f)(i)	WAC 296-155-477 Stairways. (1) General. The following requirements apply to all stairways as indicated: (f) Wood frame buildings. (i) The stairwa	2	7	4	6	3	22
	296-155-477(3)(a)	WAC 296-155-477 Stairways. (3) Stairrails and handrails. The following requirements apply to all stairways as indicated: (a) Stairways having four	3	5	9	3	1	21
	296-155-477(3)(a)(i)	WAC 296-155-477 Stairways. (3) Stairrails and handrails. The following requirements apply to all stairways as indicated: (a) Stairways having four or m		1	2		1	4
	296-155-477(3)(a)(ii)	WAC 296-155-477 Stairways. (3) Stairrails and handrails. The following requirements apply to all stairways as indicated: (a) Stairways having four or m			1	1	1	3
	296-155-477(3)(d)	WAC 296-155-477 Stairways. (3) Stairrails and handrails. The following requirements apply to all stairways as indicated: (d) Midrails, screens, mesh,			3			3
	296-155-477(3)(l)	WAC 296-155-477 Stairways. (3) Stairrails and handrails. The following requirements apply to all stairways as indicated: (l) You must provide unpi			1			1
	<b>Total</b>		<b>7</b>	<b>13</b>	<b>22</b>	<b>14</b>	<b>6</b>	<b>62</b>
155-205	296-155-205(1)(a)	WAC 296-155-205 Head protection. (1) All employees on any construction site shall be provided an individual hard hat which meets all requirements				2		2
	296-155-205(3)	WAC 296-155-205 Head protection. (3) All employees shall wear a hard hat on any construction site whenever there is a potential exposure to dan	9	7	24	7	6	53
	<b>Total</b>		<b>9</b>	<b>7</b>	<b>24</b>	<b>9</b>	<b>6</b>	<b>55</b>
155-657	296-155-657(1)(a)	WAC 296-155-657 Requirements for protective systems. (1) Protection of employees in excavations. (a) You must protect each employee in an exca	2	8	13	19	6	48
	296-155-657(1)(a)(ii)	WAC 296-155-657 Requirements for protective systems. (1) Protection of employees in excavations. (a) Each employee in an excavation shall be prot			1			1
	296-155-657(3)(b)(iii)	WAC 296-155-657 Requirements for protective systems. (3) Design of support systems, shield systems, and other protective systems. Designs of supp			1			1
	296-155-657(4)(b)	WAC 296-155-657 Requirements for protective systems. (4) Materials and equipment. (b) You must use and maintain manufactured materials and			1			1
	296-155-657(5)(a)(ii)	WAC 296-155-657 Requirements for protective systems. (5) Installation and removal of support. (a) General. (ii) You must install and remove su				1		1
	296-155-657(7)(a)(ii)	WAC 296-155-657 Requirements for protective systems. (7) Shield systems. (a) General. (ii) You must install shields in a manner to restrict lateral					1	1
	296-155-657(7)(a)(iii)	WAC 296-155-657 Requirements for protective systems. (7) Shield systems. (a) General. (iii) You must protect employees from the hazard of cave				1		1
	<b>Total</b>		<b>2</b>	<b>8</b>	<b>16</b>	<b>21</b>	<b>7</b>	<b>54</b>
155-680	296-155-680(10)(a)	WAC 296-155-680 General provisions. (10) Impalement protection and custody. (a) You must guard all protruding reinforcing steel, onto and into w	4	8	10	14	4	40
	<b>Total</b>		<b>4</b>	<b>8</b>	<b>10</b>	<b>14</b>	<b>4</b>	<b>40</b>
155-305	296-155-305(1)(a)	WAC 296-155-305 Signaling and flaggers. (1) General requirements for signaling and flaggers. (a) Employers must first apply the requirement			6	2		8
	296-155-305(3)(a)	WAC 296-155-305 Signaling and flaggers. Definition: Flagger means a person who provides temporary traffic control. For the purposes			3	3		6
	296-155-305(4)	WAC 296-155-305 Signaling and flaggers. Definition: Flagger means a person who provides temporary traffic control. For the purposes			2			2
	296-155-305(5)	WAC 296-155-305 Signaling and flaggers. Definition: Flagger means a person who provides temporary traffic control. For the purposes of this chapt				2		2
	296-155-305(5)(a)	WAC 296-155-305 Signaling and flaggers. Definition: Flagger means a person who provides temporary traffic control. For the purposes				1		1
	296-155-305(7)(a)	WAC 296-155-305 Signaling and flaggers. Definition: Flagger means a person who provides temporary traffic control. For the purposes			1			1
	296-155-305(7)(b)	WAC 296-155-305 Signaling and flaggers. Definition: Flagger means a person who provides temporary traffic control. For the purposes			1	1		2
	296-155-305(8)(a)	WAC 296-155-305 Signaling and flaggers. Definition: Flagger means a person who provides temporary traffic control. For the purposes of this chapt			3	5		8
	296-155-305(8)(c)	WAC 296-155-305 Signaling and flaggers. Definition: Flagger means a person who provides temporary traffic control. For the purposes of this chapt			1			1
	296-155-305(9)(b)	WAC 296-155-305 Signaling and flaggers. Definition: Flagger means a person who provides temporary traffic control. For the purposes				2		2
	<b>Total</b>				<b>17</b>	<b>16</b>		<b>33</b>
863-400	296-863-40005(1)	WAC 296-863-40005 Protect employees around PITs. (1) You must make sure operators use restraint devices, such as seatbelts or lap-bars, when the		1		1		2
	296-863-40005(2)(a)	WAC 296-863-40005 Protect employees around PITs. (2) You must make sure you do not allow people: (a) Under the elevated part of any PIT, whet					1	1
	296-863-40005(4)	WAC 296-863-40005 Protect employees around PITs. (4) You must make sure people riding on PITs have a safe place to ride.				1		1
	296-863-40010(1)	WAC 296-863-40010 Operate PITs safely. (1) You must operate PITs according to the manufacturer's instructions.	2				1	3

## Stute Violation Details CY 2021 - 2025TD

WAC Chapter Section	WAC Cited	WAC Text	2021	2022	2023	2024	2025	Totals
			Vios	Vios	Vios	Vios	Vios	
	296-863-40020(1)(a)	WAC 296-863-40020 Meet these requirements when the operator leaves the normal operating position. (1) You must make sure operators do the fo				1		1
	296-863-40020(2)(a)	WAC 296-863-40020 Meet these requirements when the operator leaves the normal operating position. (2) Make sure operators do the following wl		2	3	1		6
	296-863-40060(1)(a)	WAC 296-863-40060 Make sure work platforms and PITs used to lift people meet these requirements. (1) You must make sure work platforms: (a) i		1			1	2
	296-863-40060(1)(b)	WAC 296-863-40060 Make sure work platforms and PITs used to lift people meet these requirements. (1) You must make sure work platforms: (b) i		2		1	1	4
	296-863-40060(2)	WAC 296-863-40060 Make sure work platforms and PITs used to lift people meet these requirements. (2) You must guard the area between the platf		1				1
	296-863-40060(4)	WAC 296-863-40060 Make sure work platforms and PITs used to lift people meet these requirements. (4) You must make sure the lifting carriage or i					1	1
	296-863-40065(2)	WAC 296-863-40065 Operate PITs using elevated work platforms safely. (2) You must make sure the operator does not move the PIT from one point				1		1
<b>Total</b>			<b>2</b>	<b>7</b>	<b>3</b>	<b>6</b>	<b>5</b>	<b>23</b>
869-600	296-869-60005	WAC 296-869-60005 Intended use. You must make sure elevating work platforms are used only for their intended purpose as specified by the manu		1	1	1		3
	296-869-60010	WAC 296-869-60010 Workplace survey. You must have the operator survey the area before and during use of an elevating work platform for hazard		1				1
	296-869-60030(1)	WAC 296-869-60030 Driving. Important: This section does not apply to manually propelled elevating work platforms. (1) You must make sure the		3				3
	296-869-60035(1)	WAC 296-869-60035 Elevating and lowering the platform. (1) You must have the operator make sure all of the following are done before each eleva				2		2
	296-869-60040(1)	WAC 296-869-60040 Working from the platform. (1) You must make sure persons working from the platform: (a) Keep a firm footing on the platfo			4	2		6
	296-869-60040(2)	WAC 296-869-60040 Working from the platform. (2) You must make sure all persons on the platform of boom-supported elevating work platforms v	1	2	2	2		7
	296-869-60040(3)	WAC 296-869-60040 Working from the platform. (3) You must make sure the rated capacities of the platform are not exceeded when transferring lo	1					1
<b>Total</b>			<b>2</b>	<b>7</b>	<b>7</b>	<b>7</b>		<b>23</b>
155-215	296-155-215(1)(a)	WAC 296-155-215 Eye and face protection. (1) General. (a) Employees shall use eye and face protection equipment when machines or operations	5	4	6	5	1	21
	<b>Total</b>		<b>5</b>	<b>4</b>	<b>6</b>	<b>5</b>	<b>1</b>	<b>21</b>
880-400	296-880-40005(1)	WAC 296-880-40005 Guardrail systems. Guardrail systems and their use must conform to the following provisions: (1) A standard guardrail system			6	3		9
	296-880-40015(1)(b)	WAC 296-880-40015 Cover Requirements - Holes and openings. Covers and their use must conform to the following provisions: (1) Hole covers mu		3				3
	<b>Total</b>			<b>3</b>	<b>6</b>	<b>3</b>		<b>12</b>
876-300	296-876-30005(1)	WAC 296-876-30005 Condition and inspection. (1) You must keep portable ladders in good, usable condition. Good, usable condition includes, but is		2	5	3	1	11
	<b>Total</b>			<b>2</b>	<b>5</b>	<b>3</b>	<b>1</b>	<b>11</b>
155-40	296-155-040(1)	WAC 296-155-040 Safe place standards. (1) Each employer shall furnish to each employee a place of employment free from recognized hazards that	4	1		1		6
	296-155-040(2)	WAC 296-155-040 Safe place standards. (2) Every employer shall require safety devices, furnish safeguards, and shall adopt and use practices, meth			1	2	2	5
	<b>Total</b>		<b>4</b>	<b>1</b>	<b>1</b>	<b>3</b>	<b>2</b>	<b>11</b>
869-200	296-869-20045(1)	WAC 296-869-20045 Working from the platform. (1) You must make sure boom and platform load limits specified by the manufacturer are not exce			1			1
	296-869-20045(2)	WAC 296-869-20045 Working from the platform. (2) You must make sure persons stand firmly on the floor of the platform and do not: (a) Sit or cli				2	1	3
	296-869-20045(4)	WAC 296-869-20045 Working from the platform. (4) You must make sure all persons on the platform wear a full body harness with a lanyard attach		1	4		1	6
	<b>Total</b>			<b>1</b>	<b>5</b>	<b>2</b>	<b>2</b>	<b>10</b>
155-110	296-155-110(2)	WAC 296-155-110 Accident prevention program. (2) You must develop a formal accident-prevention program, tailored to the needs of the particul	2		1	1	1	5
	296-155-110(9)(a)	WAC 296-155-110 Accident prevention program. (9) Every employer shall conduct walk-around safety inspections as follows: (a) At the beginni				1		1
	<b>Total</b>		<b>2</b>		<b>1</b>	<b>2</b>	<b>1</b>	<b>6</b>
155-20	296-155-020(10)	WAC 296-155-020 Housekeeping. (10) During the course of construction, alteration, repair or demolition of buildings and structures, employers shall		1				1
	296-155-020(12)	WAC 296-155-020 Housekeeping. (12) All floors and walkways shall be maintained in good condition. Loose or broken components shall be repaire		1				1
	296-155-020(2)	WAC 296-155-020 Housekeeping. (2) To facilitate cleaning, every floor, working surface, and passageway shall be kept free from protruding nails, spli			1			1
	296-155-020(4)	WAC 296-155-020 Housekeeping. (4) In areas where workers may pass or perform duties, all debris and accumulations of material shall be removed.			1			1
	296-155-020(6)	WAC 296-155-020 Housekeeping. (6) Storage of material shall not create a hazard. Bags, containers, bundles, construction materials and other equip		1			1	2
	<b>Total</b>			<b>3</b>	<b>2</b>		<b>1</b>	<b>6</b>
155-615	296-155-615(1)(b)	WAC 296-155-615 Material handling equipment. (1) General requirements for earthmoving equipment. (b) Seat belts. • Seat belts must be prov					1	1
	296-155-615(1)(c)	WAC 296-155-615 Material handling equipment. (1) General requirements for earthmoving equipment. (c) Access roadways and grades.			1			1
	296-155-615(3)(b)	WAC 296-155-615 Material handling equipment. (3) Lifting and hauling equipment (other than equipment covered under Part L of this chapter). Indu	1					1
	296-155-615(3)(h)	WAC 296-155-615 Material handling equipment. (3) Lifting and hauling equipment (other than equipment covered under Part L of this chapter). I			1		1	2
	<b>Total</b>		<b>1</b>		<b>2</b>		<b>2</b>	<b>5</b>

## Stute Violation Details CY 2021 - 2025TD

WAC Chapter Section	WAC Cited	WAC Text	2021	2022	2023	2024	2025	Totals
			Vios	Vios	Vios	Vios	Vios	
155-476	296-155-476(1)	WAC 296-155-476 General requirements. (1) A stairway or ladder shall be provided at all personnel points of access where there is a break in elevatic			3	1		4
	<b>Total</b>				<b>3</b>	<b>1</b>		<b>4</b>
155-370	296-155-370(2)	WAC 296-155-370 Woodworking tools. (2) Guarding. All portable, hand held power-driven circular saws shall be equipped with guards above and b				1		1
	296-155-370(3)(a)	WAC 296-155-370 Woodworking tools. (3) Hand-fed table saws. (a) Each circular hand-fed table saw shall be provided with a hood-type guard that				1		1
	296-155-370(3)(e)	WAC 296-155-370 Woodworking tools. (3) Hand-fed table saws. (e) Where a hood-type guard cannot be used because of unusual shapes or cuts, a			1			1
	<b>Total</b>				<b>1</b>	<b>2</b>		<b>3</b>
807-140	296-807-14005	WAC 296-807-14005 Follow the manufacturer's instructions. You must follow the manufacturer's instructions for safe use of the tool.				1		1
	296-807-14035(3)	WAC 296-807-14035 Use air tools safely. Exemption: This section does not apply to: 1. Tools specifically for medical or dental use; 2. Tools speci	2					2
	<b>Total</b>		<b>2</b>			<b>1</b>		<b>3</b>
155-428	296-155-428(1)(e)	WAC 296-155-428 General requirements. (1) Protection of employees. (e) No work shall be performed, no material shall be piled, stored or otherwise				2		2
	296-155-428(1)(g)(ii)	WAC 296-155-428 General requirements. (1) Protection of employees. (g) Overhead electric lines. Where overhead electric conductors are encounter	1					1
	<b>Total</b>		<b>1</b>			<b>2</b>		<b>3</b>
155-120	296-155-120(1)	WAC 296-155-120 First-aid training and certification. This section is designed to assure that all employees in this state are afforded quick and effectiv			1			1
	296-155-120(2)	WAC 296-155-120 First-aid training and certification. This section is designed to assure that all employees in this state are afforded quick and effectiv				1		1
	<b>Total</b>				<b>1</b>	<b>1</b>		<b>2</b>
155-771	296-155-77100(3)(d)	WAC 296-155-77100 Hoists, elevators, excavators, and conveyors. (3) Excavation machines. (d) All persons must keep away from the range of the s			1			1
	296-155-77100(3)(m)	WAC 296-155-77100 Hoists, elevators, excavators, and conveyors. (3) Excavation machines. (m) You must not leave tools on the cab floor. You mus			1			1
	<b>Total</b>				<b>2</b>			<b>2</b>
800-160	296-800-16050	WAC 296-800-16050 Make sure your employees use appropriate eye and face protection. (1) You must make sure that employees exposed to hazarc			1			1
	296-800-16050(1)	WAC 296-800-16050 Make sure your employees use appropriate eye and face protection. (1) You must make sure that employees exposed to hazarc				1		1
	<b>Total</b>				<b>1</b>	<b>1</b>		<b>2</b>
155-338	296-155-33820(6)(a)(iv)	WAC 296-155-33820 Synthetic webbing slings. (6) Use of synthetic webbing slings. (a) Use synthetic webbing slings safely by meeting all of the foll	2					2
	<b>Total</b>		<b>2</b>					<b>2</b>
155-235	296-155-235(3)	WAC 296-155-235 Working over or adjacent to water. (3) Ring buoys with at least 90 feet of line shall be provided and readily available for emergel		1				1
	296-155-235(4)	WAC 296-155-235 Working over or adjacent to water. (4) At least one lifesaving skiff shall be immediately available at locations where employees are		1				1
	<b>Total</b>			<b>2</b>				<b>2</b>
155-35	296-155-035(8)	WAC 296-155-035 General requirements. (8) As construction progresses, the component parts of structures shall be secured or braced to prevent co		2				2
	<b>Total</b>			<b>2</b>				<b>2</b>
800-150	296-800-15030	WAC 296-800-15030 Make sure emergency washing facilities are functional and readily accessible. (1) You must provide an emergency shower: (a)			1			1
	296-800-15035	WAC 296-800-15035 Inspect and activate your emergency washing facilities. (1) You must make sure all plumbed emergency washing facilities are in:				1		1
	<b>Total</b>				<b>1</b>	<b>1</b>		<b>2</b>
863-200	296-863-20010(1)(b)	WAC 296-863-20010 Meet these requirements when modifying or altering PITs. (1) You must have written approval from the PIT manufacturer befor				1	1	2
	<b>Total</b>					<b>1</b>	<b>1</b>	<b>2</b>
809-200	296-809-20002	WAC 296-809-20002 Identify permit-required confined spaces. You must identify all permit-required confined spaces in your workplace. Use a perso				1		1
	296-809-20004(2)	WAC 296-809-20004 Inform employees and control entry to permit-required confined spaces. (2) You must take effective measures to prevent unaut				1		1
	<b>Total</b>					<b>2</b>		<b>2</b>
806-480	296-806-48012	WAC 296-806-48012 Safeguard hand-fed circular table saws. (1) You must guard each hand-fed circular saw with a hood that completely encloses bc			2			2
	<b>Total</b>				<b>2</b>			<b>2</b>
155-337	296-155-33705(2)	WAC 296-155-33705 General requirements. (2) All slings in use must meet the applicable requirements for design, inspection, construction, testing, r				1		1
	296-155-33705(4)	WAC 296-155-33705 General requirements. (4) All rigging gear must be used in accordance with the manufacturer's recommendations or a qualified				1		1
	<b>Total</b>					<b>2</b>		<b>2</b>
155-429	296-155-429(4)(b)(ii)	WAC 296-155-429 Lockout and tagging of circuits. (4) Lockout and tagging. While any employee is exposed to contact with parts of fixed electric equip					1	1
	296-155-429(4)(c)(i)	WAC 296-155-429 Lockout and tagging of circuits. (4) Lockout and tagging. While any employee is exposed to contact with parts of fixed electric equi					1	1
	<b>Total</b>						<b>2</b>	<b>2</b>

## Stute Violation Details CY 2021 - 2025TD

WAC Chapter Section	WAC Cited	WAC Text	2021	2022	2023	2024	2025	Totals
			Vios	Vios	Vios	Vios	Vios	
840-105	296-840-105(2)	WAC 296-840-105 Exposure assessment. This section applies to all occupational exposures except for tasks performed according to the requirement		1			1	2
	<b>Total</b>			<b>1</b>			<b>1</b>	<b>2</b>
155-367	296-155-367(4)(a)	WAC 296-155-367 Masonry saws. (4) Exhaust and eye protection. (a) All table mounted masonry saws shall be equipped with a mechanical means of		1				1
	296-155-367(4)(b)	WAC 296-155-367 Masonry saws. (4) Exhaust and eye protection. (b) All portable hand-held masonry saw operators shall wear appropriate eye anc		1				1
	<b>Total</b>			<b>2</b>				<b>2</b>
155-533	296-155-53306(1)	WAC 296-155-53306 Rigger Qualifications. (1) The rigger must meet the qualification requirements (subsection (3) of this section) prior to performin			2			2
	<b>Total</b>				<b>2</b>			<b>2</b>
155-211	296-155-211	WAC 296-155-211 Leg protection. Employees whose duties require them to operate a power chain saw shall wear flexible ballistic nylon pads, sew		1				1
	<b>Total</b>			<b>1</b>				<b>1</b>
155-558	296-155-55820(2)(b)	WAC 296-155-55820 Synthetic webbing slings. (2) Inspection. (b) A qualified person must perform a visual inspection for damage, each day or shift th					1	1
	<b>Total</b>						<b>1</b>	<b>1</b>
876-150	296-876-15005(1)	WAC 296-876-15005 Training. (1) You must train employees to recognize ladder hazards and the procedures to minimize these hazards.		1				1
	<b>Total</b>			<b>1</b>				<b>1</b>
155-775	296-155-775(13)(b)	WAC 296-155-775 Preparatory operations. (13) Cover requirement - Holes. (b) You must mark each cover with the word "hole" or "cover" to provic			1			1
	<b>Total</b>				<b>1</b>			<b>1</b>
807-180	296-807-18035	WAC 296-807-18035 Use side handles on vertical and angle grinders. You must use a side handle on all four-inch and larger vertical and angle grinc					1	1
	<b>Total</b>						<b>1</b>	<b>1</b>
155-335	296-155-335(2)	WAC 296-155-335 Disposal of waste materials. (2) When debris is dropped without the use of chutes, the area onto which the material is dropped sh		1				1
	<b>Total</b>			<b>1</b>				<b>1</b>
155-140	296-155-140(2)(a)	WAC 296-155-140 Sanitation. (2) Wash water. (a) Clean, tepid wash water, between 70 and 100 degrees Fahrenheit, shall be provided at all constr			1			1
	<b>Total</b>				<b>1</b>			<b>1</b>
62-077	296-62-07721(2)(e)	WAC 296-62-07721 Communication of hazards. (2) Communication of hazards to employees. Requirements for construction and shipyard employm			1			1
	<b>Total</b>				<b>1</b>			<b>1</b>
155-200	296-155-200(1)(d)	WAC 296-155-200 General requirements for personal protective equipment (PPE). (1) Supplying personal protective equipment (d) All personal i			1			1
	<b>Total</b>				<b>1</b>			<b>1</b>
155-325	296-155-325(2)(h)(ii)	WAC 296-155-325 General requirements for storage. (2) Material storage. (h) Lumber: (ii) Lumber shall be stacked on level and solidly supported		1				1
	<b>Total</b>			<b>1</b>				<b>1</b>
809-400	296-809-40002(2)	WAC 296-809-40002 Provide employee training. (2) You must provide training to each affected employee; (a) Before an employee is first assigned				1		1
	<b>Total</b>					<b>1</b>		<b>1</b>
842-180	296-842-18005(2)	WAC 296-842-18005 Prevent sealing problems with tight-fitting respirators. (2) Make sure you do NOT permit respirator use if employees have a c			1			1
	<b>Total</b>				<b>1</b>			<b>1</b>
842-130	296-842-13005	WAC 296-842-13005 Select and provide appropriate respirators. A respirator must be provided to each employee when such equipment is necessar			1			1
	<b>Total</b>				<b>1</b>			<b>1</b>
155-210	296-155-210	WAC 296-155-210 Hearing protection. The hearing protection requirements of the general occupational health standards, chapter 296-62 WAC, sha		1				1
	<b>Total</b>			<b>1</b>				<b>1</b>
840-140	296-840-140(1)	WAC 296-840-140 Written exposure control plan. (1) You must establish and implement a written exposure control plan that contains at least the fo		1				1
	<b>Total</b>			<b>1</b>				<b>1</b>
840-110	296-840-110(2)(b)	WAC 296-840-110 Specified exposure control methods. This section applies to construction work and other occupational exposures where the task i		1				1
	<b>Total</b>			<b>1</b>				<b>1</b>
155-375	296-155-375(1)	WAC 296-155-375 Jacks — Lever and ratchet, screw, and hydraulic. General requirements. (1) The manufacturer's rated capacity shall be legib		1				1
	<b>Total</b>			<b>1</b>				<b>1</b>
840-120	296-840-120(1)	WAC 296-840-120 Methods of compliance. This section does not apply to tasks listed and performed in accordance with Table 1 of WAC 296-840-11	1					1
	<b>Total</b>		<b>1</b>					<b>1</b>
155-360	296-155-360(2)(b)	WAC 296-155-360 Power-operated hand tools. (2) Pneumatic power tools. (b) Safety clips or retainers shall be securely installed and mainte		1				1

## Stute Violation Details CY 2021 - 2025TD

WAC Chapter Section	WAC Cited	WAC Text	2021	2022	2023	2024	2025	Totals
			Vios	Vios	Vios	Vios	Vios	
	<b>Total</b>			<b>1</b>				<b>1</b>
800-110	296-800-11005	WAC 296-800-11005 Provide a workplace free from recognized hazards. You must provide your employees a workplace free from recognized hazard:	1					1
	<b>Total</b>		<b>1</b>					<b>1</b>
155-100	296-155-100(1)(c)	WAC 296-155-100 Management's responsibility. (1) It shall be the responsibility of management to establish, supervise, and enforce, in a manner w/				1		1
	<b>Total</b>					<b>1</b>		<b>1</b>
840-150	296-840-150(3)	WAC 296-840-150 Communication of respirable crystalline silica hazards to employees. (3) Regarding employee information and training, you must r	1					1
	<b>Total</b>		<b>1</b>					<b>1</b>
27-1101	296-27-01101(1)	WAC 296-27-01101 Recording criteria. (1) Employers required to keep records by this chapter must record each fatality, injury and illness that: (a)		1				1
	<b>Total</b>			<b>1</b>				<b>1</b>
863-600	296-863-60005(1)(a)	WAC 296-863-60005 Make sure PIT operators are trained. (1) You must make sure employees successfully complete an operator training program be				1		1
	<b>Total</b>					<b>1</b>		<b>1</b>
155-415	296-155-415(2)(a)	WAC 296-155-415 Ventilation and protection in welding, cutting, and heating. (2) Welding, cutting, and heating in confined spaces. (a) Except as f			1			1
	<b>Total</b>				<b>1</b>			<b>1</b>
<b>TOTAL STUTES CITED</b>			<b>229</b>	<b>327</b>	<b>731</b>	<b>595</b>	<b>208</b>	<b>2090</b>